

**Evidence profile for the efficacy of homeopathy – A new paradigm for medical sciences:
“The Body Information Theory”.**

• **First question addressed: The activity of very highly diluted preparations.**

Homeopathic practitioners will argue that the use of preparations that are diluted beyond Avogadro's number (i.e. potencies greater than C10) happens in only 25% of the prescribed homeopathic medications. Nevertheless, for some people this question is the most important obstacle to the acceptance of homeopathy.

A/ The experimental model that is cheapest, most reproducible and also the most easily researched is probably the “acetylcholine-induced contraction of the rat ileum”. It is a well-recognized scientific model (Chang FY, Lee SD, et al. Rat gastrointestinal motor responses mediated via activation of neurokinin receptors. *J.Gastroenterol Hepatol* 1999; 14: 39-45). This model has been devised for the verification of very high dilutions of Belladonna by A. Cristea, a Romanian researcher; results have already been published (*Bastide M (ed). Signals and Images. Kluwer Academic Publishers* 1997: 161-170).

Professor Wolfgang Süß, Institute of Pharmacy at the University of Leipzig, has used this model to test the transfer of the activity of a homeopathic remedy (in this case Atropinum sulphuricum D60) from the original liquid form to the homeopathic tablet. As usual, several controls were performed. Alpha-lactose monohydrate tablets impregnated with the highly diluted Atropinum had systematically efficacy, on the contrary with anhydrous alpha-lactose tablets no effect can be ascertained. Thus, the quality of homeopathic tablets can be tested before daily use in pharmacy (constant reproducibility). This very simple model therefore has the potential to remove doubts about the activity of very highly diluted homeopathic remedies (Schmidt F, Süß WG, Nieber K. In-vitro Testung von homöopathischen Verdünnungen. *Biol. Med./Heft 1/February 2004;32-37*).

B/ It has taken much more time for another model to be accepted by the scientific community. The first publications appeared in 1991 but it is only in 2004, after an international cooperation, that the results have finally been accepted in a high-standard peer-reviewed journal, *Inflammation Research*. This model is different from the Benveniste model; he used the same control but not the same activator.

Professors Marcel Roberfroid and Jean Cumps of the Institute of Pharmacy at the University of Louvain, who respectively coordinated the European multi-centre (4 centres) trial and performed the statistical analysis, explained the protocols and discussed the results. The work demonstrates a significant inhibition of human basophil degranulation, as measured by alcian blue staining, by high dilutions of histamine ($10^{-30} - 10^{-38}$ M). This multi-centre research has subsequently been confirmed in three laboratories by applying flow cytometry analysis and in one laboratory by measuring histamine release. Even if, at present, the molecular theory cannot explain these findings, the facts remain indisputable as recognized by the editor of *Inflammation Research*. (Belon P, Cumps J, Ennis M, Mannion PF, Roberfroid M, Sainte-Laudy J, Wiegant FAC. Histamine dilutions modulate basophil activation. *Inflamm. Res.* 2004; 53: 181-188.)

C/ Research on high dilutions has existed since the 1950s, but the number and quality of publications has increased in the last decade. Reviews and meta-analyses have even been performed but often ignored or even denied (see *COST B4 supplement report EUR 19110 ISBN 92-828-7434-6*). This research is not encouraged and even deemed inadvisable by academic authorities.

Professor Jean Cambar, Dean of the Faculty of Pharmacy at the University of Bordeaux, described the most important models that have been published previously in international journals, confirming the effects of very highly diluted homeopathic preparations.

The efficacy of very high homeopathic dilutions of human or animal natural molecules (also called *endogen molecules*) has been published several times in prestigious journals. Examples include the following: *Int J Immunotherapy* 1987; 3: 191-200 (Thymulin in mice. Bastide M); *Int J Immunopharm* 1990; 6: 211-214 (alpha/beta interferon, Carriere V); *J Vet Human Toxicol* 1995; 37(3): 259-260 (Thyroxine, Endler PC); *Int J Immunopathol Pharmacol* 1996; 9: 43-51 (Bursin, Youbicier-Simo BL). During this meeting Dimitris Zienkiewicz, immunologist at the University of Edinburgh, presented preliminary findings assessing, by immunosorbent assay and flow cytometry, the alteration in activation and function of dendritic cells that comes about as a result of their treatment with homeopathic dilutions of a bacterium. Dendritic cells play an instrumental role in both activation and regulation of the immune system. Systematic changes in the profile of cytokines IL-10, IL-11 and IL-12 cannot be explained by the molecular theory.

Efficacy of very high homeopathic dilutions using *pharmacological* models has also been published in peer-reviewed journals. Examples include the following: *Thrombosis. Res.* 1994; 76: 225-229 (Acetylsalicylic acid in a vessel model. Doutremepuich C); *Haemostasis* 1990; 20: 99-105 (Acetylsalicylic acid in healthy volunteers. Doutremepuich C); *Thrombosis. Res.* 1987; 48: 501-504 (Acetylsalicylic acid in healthy volunteers, Doutremepuich C).

The longest-used model, published frequently all over the world, is the *toxicological* model (Arsenic, Phosphorus, Mercury, Cadmium, Cisplatin, Glutamate, Cuprum sulphate, etc). It can be applied to vegetable, animal, cell culture material or even clinical studies. This model is still used and indeed is the theme for a collaboration between the Universities of Bern and Bologna, testing homeopathic arsenic trioxide treatments by plant-based bioassays. The working variables are the germinated seeds or the stem length on the seventh day. At least 6 recent experiments by this team are published (Dr Lucietta Betti. DISTA-Department of Agro environmental Science and Technology, University of Bologna.).

Experiments are well conducted, in controlled conditions, with a sufficient number of plants, animals or cells, and with a fair statistical treatment. *The facts are indisputable, statistically significant and reproducible*, even if they cannot be explained using the molecular paradigm.

- **Second question addressed: The content of very highly diluted homeopathic preparations.**

Professor Jean Cambar introduced the theme by asking what are the contributions of the different spectroscopies (Raman, Ultraviolet, X-ray or Magnetic Nuclear Resonance) in revealing the structure of water and solvents in high dilutions? What is the real relevance of Avogadro's number in evaluating the precise pattern of molecules? Can a dilution work without any molecule? One of the most innovative perspectives in this last decade was the demonstration that high dilutions have as much activity and effectiveness in an organized structured solvent without any solute molecule as they do when molecules are present (even only some molecules).

Professor Louis Rey, Doctor of Sciences, Lausanne, a specialist in low temperature thermoluminescence, has published on this topic in the international journals *Nature* (1988; 391: 418) and *C.R.Physique* (2000; 1: 107-110). He presented the latest results of the experiments he carried out together with Dr. Philippe Belon on the thermoluminescence of ultra-high dilutions of lithium chloride and sodium chloride. Ultra-high dilutions of lithium chloride and sodium chloride (10^{-30} g cm⁻³) were irradiated by X- and gamma-rays at 77K, then progressively re-warmed to room temperature. During that phase, their thermoluminescence was studied and it was found that, despite their dilution beyond the Avogadro number, the emitted light was specific of the original salts dissolved initially. Much to the authors' surprise, the experimental results showed, without ambiguity, the specificity of the contained information. The findings proved to be reproducible in the course of many different identical experiments. As a working hypothesis, the researchers propose that this phenomenon results from a marked structural change in the hydrogen bond network initiated at the onset by the presence of the dissolved ions and maintained in the course of the dilution process, and probably due to the successive vigorous mechanical stirrings. (*Physica* 2003; A323: 67-74).

Professor Guadalupe Ruiz-Vega, Universidad Michoacana de San Nicolás de Hidalgo, Morelia, Mexico, presented her most recent publications in the field of thermodynamics. She was able to demonstrate the biological effect of two ultra-low dose compounds. (Publication in process.)

The use of modern techniques in the hands of specialists is the best way to show sceptics that the experimental facts are well grounded and confirmed by reproducible experiments. Even in ultra-molecular homeopathic dilutions, specific information of the prime dissolved substance still remains in the preparation and can be detected experimentally.

- **Third question addressed: The theoretical framework in which the effects of homeopathic diluted preparations can be explained.**

Two members of G.I.R.I. (Groupe International de Recherche sur l'Infinitésimal; see www.giriweb.com), Professor Madeleine Bastide (University of Montpellier) and Agnès Lagache (Professor of Philosophy, Paris) have been working on this topic for 16 years. A new paradigm for medical science is needed to explain these facts and to allow more precise research models in the future. A working group of 7 members applied this new paradigm to the analysis of experimental results.

“When the observed fact does not correspond to a famous theory, the fact has to be accepted and the theory rejected”; “A theory must be modified to be adapted to nature and not nature to adapt itself to the theory”. Claude Bernard (*Introduction à la Médecine Expérimentale*).

Prof. Bastide explained that homeopathy and research models are based on the observation of “symptoms”. Asymptomatic pathologies exist that provoke “biological scars” as a proof of the self-treated organism without showing the illness symptoms (*Charles Nicolle, Nobel Prize 1929, Life and Death of Illness*). Symptoms and biological modifications are not the same and concern different levels in the body. The symptom may be an expression of the body when it cannot find any answer whatever the situation (infection, stress, strong emotion...).

Example: Rubella in a normal subject: no apparent sickness. Rubella in immuno-deficient subject: symptoms, apparent sickness.

For the allopathic research approach, the symptoms are pathognomonic, specific to the illness; they are used to diagnose the pathology. When the diagnosis of the pathology is performed, the treatment is chosen accordingly; classical therapy may be also targeted against symptoms. For the homeopathic research approach, considered symptoms are idiosyncratic; specific to the patient. They are the personal expression of the sickness by the patient. They are used to choose the specific remedy according to the similarity of the symptoms observed by “proving” in a healthy subject. The living body is in a lasting and irreversible learning process; it communicates at every level with its environment. It is able to receive and treat semantic and corporeal information; it is not an inert object.

The paradigm of corporeal signifiers (Bastide M., Lagache A. *Revue Intern. Systémique* 1995; 9: 237-249 and *Altern Ther Health Med.* 1997; 3: 35-9).

Three principles define homeopathy, based on clinical and experimental analysis: the similia and whole person principles, and the use of very high dilutions. The effects of high dilutions cannot be explained by a simple molecule-receptor interaction (mechanistic paradigm), the “*well established theory*” of modern science. Prof. Bastide & Lagache propose an epistemological approach to homeopathy based on body information processes received and interpreted by the living organism; this follows the rules of information exchange. Exchange of objects between a giver and a receiver is very simple: one loses, the other gains, and the sum is constant. On the other hand, information is not an object but the trace of an object – mediation between object and receiver is required for a signal to be transmitted. For example, take the story of Robinson Crusoe: Crusoe sees Friday’s footprint in the sand but not the foot itself. For him, this footprint means ‘there is another man on this island’. Friday’s foot is the originator (matrix) of the information; the footprint is information but is not an object; the sand is the carrier of the information (the mediator). When the carrier disappears, the information disappears too. The information is understood only by the receiver and the understanding of the information depends on its context – he knows that he is alone on the island. Prof. Bastide & Lagache therefore suggest that in homeopathy, the originator of the information is the starting material of the remedy; succussed dilutions of the starting material in a solvent are mediators. High dilutions contain only information from that material and no molecules remain. This mediation results from the succussed solvent being in a specific state, implying perhaps electro-magnetic processes. The receiver (the whole living body) receives and processes the information in the remedy according to its state, whether healthy (“proving”) or sick (therapy). The bases of this paradigm are verified by the systematic experimental results obtained as described in the first parts of the conference.

This new paradigm is needed to explain the experimental facts and to understand the failure of research models that do not fit it.

- **The final question addressed: The clinical effects of homeopathic preparations.**

An experimental design is only relevant if it takes into account the observed phenomenon within its specific framework and if the subject addressed can be isolated of all external influences. Considering human medicine, the psychological factors are responsible for non-specific effects and the medication effects are called specific effects. Whatever the research model, taking into account the homeopathic approach, the idiosyncratic symptoms (specific to the patient) must be considered excluding pathognomonic symptoms.

A/ Professor Leoni Bonamin, Paulista University (São Paulo) and president of G.I.R.I., reviewed studies in **veterinary homeopathy**. Such studies are relevant for homeopathy because it is easier to isolate the effects of the treatment: the placebo effect is almost nil and there are fewer ethical considerations. Moreover, studies in well-defined herds and features can include a very homogeneous sample from a large number of animals. Nevertheless, the rules for well-designed studies must still consider the particularities of homeopathic research as regards the Similia principle (considering idiosyncratic symptoms).

Veterinary studies are very important for organic farming regulation. In Europe, only homeopathic treatments are authorized for biological farming. The use of homeopathy is aimed at avoiding chemical residues in the food chain. More institutional support is certainly needed.

In recent studies, the use of homeopathic complexes has been tested with very good results using parallel placebo groups, blinded design, homogeneity of samples with sufficient animals, and a protocol that is easy to manage in the farming context.

Filliat C. Particularité de l'utilisation de l'homéopathie en production avicole. *Annals of the "Entretiens Internationaux de Monaco 2002"*, 5-6 October 2002. <http://www.giriweb.com>. The use of homeopathic complex reduced the incidence of haematomas in turkeys during transportation by about 30%.

Riaucourt A. L'Exemple de la Filière Porcine. *Annals of the "Entretiens Internationaux de Monaco 2002"*, 5-6 October, 2002. <http://www.giriweb.com>. The use of a complex (with endogenous and exogenous substances) to improve oestrus manifestation in female pigs induced a reduction of the repetitions of inseminations and semen loss.

Veterinary studies are also useful for questioning homeopathic study design. Using the model of psychogenic dermatosis in dogs and cats (Torro, et al. *In press*), six months of treatment with the simillimum shows 70% success. One year after finishing the treatment there was no recurrence. The entire study duration is six years. The very long efficacy of the homeopathic treatment is a reason for questioning cross-over design.

Because veterinary pathogenetic studies are very rare, veterinarians often need to do extrapolations from human pathogenesis and their *Materia medica* is based on classical studies performed in humans.

Research protocols in experimental animals. For example, the effects of nosode (isopathic homeopathic remedy) versus allopathy and similar homeopathic remedy using as model the experimental urinary infection of rats (Gonçalves *et al.* O uso da homeopatia no tratamento da infecção urinária em ratas. *Anais do VIII SINAPIH*; 20-22 May, 2004: p.25-26. <http://climed.epm.br/sinapih/index>). This study compares nosode from individual or collective samples. It is a blinded study; the presence of *E. coli* in gall bladder of rats is evaluated after 12-16 days of treatment: Untreated control, 100% of bacteria colonies (no spontaneous healing), second control is the vehicle (alcohol 5%) 94%, comparison group treated with Antibiotic (levokinolone) 33%*, treated group with nosode from a pool of urines (30D) 73%*, treated group with a self-nosode (30D) 39%*, and treated with a similar homeopathic remedy Phosphorus 30CH (the incorporation of rats in this group happens observing their individual behavior) 22%* (* Fisher test, p=0.05).

With such studies it is possible to evaluate some homeopathic parameters such as the criteria for the choice of the best homeopathic dilution. The general rule is to use high potencies for chronic / mental disturbances and low potencies for acute / organic disturbances. The anti-depressive effect of *Hypericum perforatum* in rats was better in 200CH than in 30CH: tested by the Porsolt forced swimming method (Goulart *et al.* Avaliação dos efeitos de *Hypericum perforatum* (Hp) dinamizado homeopaticamente em comportamento de ratos. *Anais do VIII SINAPIH*, 20-22 May 2004: p.14. <http://climed.epm.br/sinapih/index>); this was a blinded, well designed study.

Experimental animal studies have limited application to veterinary or to human homeopathy.

Veterinary studies minimize placebo effects and confirm the efficacy of homeopathic treatments. Experiments in laboratory animals help improving research design in homeopathy.

B/ Last, but not least, the **human studies** were considered.

B.1) A second G.I.R.I. working group was dedicated to clinical research, and particularly considered the issues of individuality and complexity.

Evidence Based Medicine (EBM) gives first priority to “Therapeutic Effects Testing” (TET), starting from the work of basic scientists in laboratories up to clinical researchers doing Randomized Clinical Trials (RCTs), and finally reviews or meta-analyses of several RCTs. The achieved level of TET determines the level of EBM for a medicinal product. “Clinical Use Testing” (CUT), starting with case reports, epidemiological outcomes and cost-benefit studies, is only interesting for public health authorities and patients but it is never sufficient to reach EBM. No real bridge exists between these two approaches.

Evidence Based Homeopathy (EBH) starts and ends with the individualized patient. It can be represented as the arch of homeopathy: at one side there is the examination of the patient, and at the other side the therapeutic instrument. In order to understand the patient, we must consider his totality in time and space to be able to understand his basic vulnerability, latent or manifest. This totality must be qualitatively modalized with chronological assessment to get the Minimal Syndrome of Maximal Value. The therapeutic instrument can be self-healing (no syndrome, no medication), or management of life-style or nutrition in order to avoid obstacles to cure. A homeopathic remedy can be considered after study of its physico-chemical characteristics, its toxicology, its usual therapeutic use: this is the first step, the hypothesis. The second step is the probability by a first “proving” (blinded protocol) on healthy volunteers; third is the confirmation by further “provings”; fourth is the corroboration by physio-pathological study; and last is the clinical verification in daily practice. For the remedies we must have the same qualitative assessment as for the patients. But the keystone of the whole homeopathic process, without which the arch will crumble, is the Law of Similars. Research in homeopathy must be concentrated on qualitative “proving” on healthy volunteers and clinical verification in daily practice. Therefore after many years of studies, our first priority must be systematic clinical files collection (CLIFCOL project). The Bayesian statistic, a statistical approach (likelihood ratio), can help establishing a scientific base for our symptoms’ repertoires. This approach was presented by Dr Lex Rutten from The Netherlands.

Can one get over the gap that exists between EBM and EBH?

B.2) Dr Harald Walach, University of Freiburg, presented an overview of the already published papers.

Homeopathy is certainly popular (used by 50% of the population in France) and is historically successful, both individually (by Fieldmarshall Radetzky, Paganini, etc.) and generally (in cholera and other epidemics all over Europe). Homeopathy remained effective in the face of adversaries and is growing despite (or because of?) modern medical technology.

Looking only at the latest publications and using validated Quality of Life questionnaires (between 2000 and 2004), 6915 patients presented clinically significant improvement (approximately 70% of cases; more in children). Homeopathy reduced costs and allowed a better improvement in work-days lost compared with conventional practice. For specific diagnoses such as bronchial asthma (89% improvement; even better after 2 years), cancer patients in palliative care (improvement of quality of life, fatigue and anxiety but not pain), hyperactive children (after 3 months, 75% improvement versus 65% for conventional treatment), URTI (67.3% improvement with homeopathy, 56% with conventional treatment; side effects 7.8% homeopathy versus 22% conventional), homeopathy is at least as effective as conventional therapies, but costs are lower and the safety of homeopathy is greater.

On the other hand, an “efficacy paradox” can be acknowledged. Using the hierarchy of evidence, for conventional medicine the RCT is of the highest value – the best rigour and internal validity – but it has a low applicability score, a low external validity and its conclusions are generalized with great difficulty. On the contrary the applicability of case series is great, showing a high external validity and its conclusions generalized easily. RCT implicitly tests the placebo hypothesis; the question is only: “Is the homeopathic therapy different from placebo?” It presupposes a local-causal model of homeopathy, that the physical presence and “information” of a remedy is decisive (without considering the “receiver” health status), and that a “true” effect would be detectable through replication. It is apparent that discrepancies exist regarding homeopathy in daily practice and the RCT approach.

Nevertheless RCTs have been performed and meta-analyses of these studies have concluded that there is clear evidence of efficacy in favour of homeopathic treatments that cannot be attributed only to a placebo effect (Linde K, Clausius N, Ramirez G, Melchart D, Eitel F, Hedges LV, Jonas WB. *Lancet* 1997; 350: 834-43 and Dean M.E. *Hans Walz Preisschrift, Essen:KVC Verlag*, 2004.) For some specific diagnoses, the same level of evidence has been reached: rheumatoid arthritis (6 studies); childhood diarrhoea (3 studies); postoperative ileus (8 studies); hayfever, asthma (4 studies). For migraine, results of RCTs are disappointing. In children, using comparison groups, significant results are obtained for recurrent infections, postoperative agitation, adenoids, otitis media, and stomatitis in patients with cancer (complication of the conventional treatment). There are promising pilots studies on low back pain, premenstrual syndrome and chronic fatigue.

The problems with RCTs are:

- they are difficult to replicate (true also for conventional treatment: only 48% of all SSRI studies are significant);
- they are invasive and expensive, inducing lack of interest due to a lack of funding;
- blinded RCTs answer only the placebo question;
- they make unwarranted presuppositions.

Conclusions: **Clear indications exist about clinical effectiveness of homeopathy; homeopathy is effective in uncontrolled practice or versus comparison groups; enough indications exist that “placebo” is an insufficient explanation for the effects of homeopathy. Homeopathy can be similar or better in effectiveness than conventional treatment and, where it has been studied, it is cheaper in the long run. Many interesting questions not even asked should be prioritized, such as the potential of homeopathy to avoid invasive procedures in children and, in primary care settings, the long-term effect of homeopathy in preventing chronic complications.**

B.3) Future projects were discussed.

♣ Surveys on homeopathic practice have already been published. Dr Galen Ives (Priority Research, Sheffield) made some recommendations for future projects. Questionnaire design should be driven by requirements for data analysis, and professional advice sought before starting, in particular thinking carefully about measurement scales (subjective data not expressed in numbers but crossing a box), and assuming all respondents lack prior experience in such recording. The question of timescales is a sensitive one therefore it would be better to include only new patients. If the aim is to look at the daily practice, a large demographic data is needed. The question about why the patients chosen homeopathy must be addressed. A comparison group is not a common requirement in such studies, but to avoid editorial comments on this question, it would be explained in the discussion part. The aims of the study must be kept clearly in mind. Example: analysis of effectiveness versus conventional medicine (CM); cost-effectiveness versus CM. It would be recommended to use inclusion criteria (such as state of health) and sub-groups (as example acute cases). The study of patient's satisfaction is not the same as looking at treatment efficiency. Efficiency can best be checked through Quality of Life studies, in this case at least 2 successive questionnaires are needed with a greater risk of drop out.

♣ Dr Kivellos Spiros (Athens) introduced a severity scale that aims to embody the laws of classical homeopathy in clinical study protocols. He proposed a classification of “level of health”, starting on level 1 (healthy) down to level 12 (irreversible internal injuries). The homeopathic prognosis can be estimated using such a scale and group classification has been elaborated.

• **Conclusions from this colloquium:**

- There is evidence that highly dilute homeopathic dilutions have biological activity.
- The presence of a “footprint” of the original substance can be detected in the high diluted homeopathic preparations.
- Explaining the observed phenomenon a new paradigm for medical sciences exists.
- Veterinary studies confirm the clinical efficacy of homeopathy.
- Human studies reveal clinically significant improvement in 70% of patients (more in children); the homeopathic effects cannot be attributed only to a placebo effect and for some indications the efficacy of homeopathy has reached a high level of statistical significance.
- Future studies are needed that investigate the preventive effects of homeopathy in children and chronic diseases. Funding of research into homeopathy must be considered as vital.

Finally, the participants wrote the following press release:

At the invitation of the European Committee for Homeopathy, which represents 33 homeopathic doctors' associations in 24 European countries, joining the XVIII symposium of GIRI, ten internationally renowned university professors in the field of research met in Brussels for a 3 day meeting starting on Friday November 12th 2004.

The results of the research discussed by these university professors are all in accord with one another – namely, that there is clear evidence for the effectiveness of homeopathic medications. There is sufficient reason for further research.

The professors expressed their amazement at the lack of response from the health authorities to these convincing results.

References:

1. Schmidt F, Sü_ WG, Nieber K. In-vitro Testung von homöopathischen Verdünnungen. *Biol. Med./Heft 1/February 2004;32-37*
2. Chang FY, Lee SD, et al. Rat gastrointestinal motor responses mediated via activation of neurokinin receptors. *J Gastroenterol Hepatol 1999;14:39-45.*
3. Cristea A, Nicula S, Darie V. Pharmacodynamic effects of very high dilutions of belladonna on the isolated rat duodenum. In: Bastide M(ed), Signals and Images. Kluwer Academic Publishers 1997:161-170.
4. Goodear K, Lewith G, Low JL. Randomised double-blind placebo controlled trial of homeopathic proving for Belladonna C30. *J R Soc Med 1998;19:579-82.*
5. Krowicki ZK, Hornby P. Substance P in the dorsal motor nucleus of the vagus evokes gastric motor inhibition via neurokinin 1 receptors in rat. *J Pharm Exp Therap 2000;293:214-21.*
6. Mahmod SM, Huddart H. Purinergic modulation of spontaneous activity and of responses to high potassium and acetylcholine in rat ileal smooth muscle. *Comp Biochem Physiol 1993;106:79-85.*
7. Milenov K, Nieber K, Oehme P. A selective tonic activation of gastrointestinal smooth muscle by substance P. *Arch In Pharmacodyn Ther 1978;235:219-29.*
8. Walach H. Does a highly diluted homeopathic drug act as a placebo in healthy volunteers? Experimental study of Belladonna 30C in double-blind crossover design-a pilot study. *J Psychosom Res 37:851-60.*
9. Wali A, Suer A et al. Atropine sulphate enhances neuromuscular transmission in the rat. *Acta Anaesthesiologica Scan 1987;31:587-92.*

1. Belon P, Cumps J, Ennis M, Mannaioni PF, Roberfroid M, Sainte-Laudy J, Wiegant FAC. Histamine dilutions modulate basophil activation. *Inflamm. Res. 2004; 53: 181-188.*
2. Lichtenstein LM, Gillespie E. The effects of the H1 and H2 antihistamines on ‘allergic’ histamine release and its inhibition by histamine. *J Pharmacol Exp Ther 1975; 192: 441–50.*
3. Masini E, Blandina P, Brunelleschi S, Mannaioni PF. Evidence for H2-receptor-mediated inhibition of histamine release from isolated rat mast cells. *Agents Actions 1982; 12: 85–8.*
4. Sainte-Laudy J, Belon P. Inhibition of human basophil activation by high dilutions of histamine. *Agents Actions 1993; 38: C245–7.*
5. Sainte-Laudy J, Belon P. Analysis of immunosuppressive activity of serial dilutions of histamine on human basophil activation by flow cytometry. *Inflamm Res 1996; 45 (Suppl 1): S33–4.*
6. Linde K, Clausius N, Ramirez G, Melchart D, Eitel F, Hedges VL et al. Are the clinical effects of homeopathy placebo effects? A metaanalysis of placebo-controlled trials. *The Lancet 1997; 350: 834–43.*
7. Doutremepuich CH, Aguejouf O, Belon P. Effects of ultra-low dose aspirin on embolization in a model of laser-induced thrombus formation. *Seminars in Thrombosis and Hemostasis 1996; 22 (Suppl 1): 67–70.*
8. Ovelgonne JH, Bol AWJM, Hop WCJ and Van Wijk R. ‘Mechanical agitation of very dilute antiserum against IgE has no effect on basophil staining properties’. *Experientia 1992; 48: 504–8.*
9. Hirst SJ, Hayes NA, Burridge J, Pearce FL, Foreman JC. Human basophil degranulation is not triggered by very dilute antiserum against human IgE. *Nature 1993; 366: 525–7.*
10. Davenas E, Beauvais F, Amara J, Oberbaum M, Robinzon B, Miadonna A et al. Human basophil degranulation triggered by very dilute antiserum against IgE. *Nature 1988; 333: 816–8.*
11. ‘High-dilution’ experiments a delusion. *Nature 1988; 334: 287–90.*
12. Only the smile is left. *Nature 1988; 334(6181): 375–6.*
13. Coles P. Benveniste controversy rages on in the French press. *Nature 1988; 334(6181): 372.*
14. When to publish pseudo-science. *Nature 1988; 334(6181): 367.*
15. Explanation of Benveniste. *Nature 1988; 334(6180): 85–6.*
16. Pool R. Unbelievable results spark a controversy. *Science 1988; 241(4864): 407.*
17. Cherruault Y, Guillez A, Sainte-Laudy J, Belon P. Etude mathématique et statistique des effets de dilutions successives de chlorhydrate d’histamine sur la réactivité des basophiles humains. *Bio-Sciences 1998; 7: 63–72.*
18. Sainte-Laudy J, Sambucy JL, Belon P. Biological activity of ultra low doses : I/Effect of ultra low doses of histamine on human basophil degranulation triggered by D. Pteronyssinus extract. *Ultra Low Doses 1991; Taylor and Francis: 127–38.*
19. Sainte-Laudy J, Belon P. Biological activity of ultra low doses: II/Effect of ultra low doses of histamine on human basophil degranulation triggered anti-IgE. *Ultra Low Doses 1991; Taylor and Francis: 139–43.*
20. Hadjaj B, Cherruault Y, Sainte-Laudy J. Basophil degranulation control Int J Biomed Comput 1992; 31: 89–97.

21. Hadjaj B, Cherrault Y, Sainte-Laudy J. Control of basophil degranulation. *Int. J Biomed Comput* 1993; 32: 151–9.
22. Sainte-Laudy J. Modulation of allergen and anti-IgE induced human basophil activation by serial histamine dilutions. *Inflamm. Res* 2000; 49 (Suppl 1): S5–6.
23. Belon P, Cumps J, Ennis M, Mannioni PF, Sainte-Laudy J, Roberfroid M et al. Inhibition of human basophil degranulation by successive histamine dilutions: results of a European multi-centre trial. *Inflamm Res* 1999; 48(Suppl 1): S17–8.
24. Brown V, Ennis M. Flow-cytometric analysis of basophil activation: inhibition by histamine at conventional and homeopathic concentrations. *Inflamm Res* 2001; 50 (Suppl 2): S47–8.
25. Sainte-Laudy J. Standardization of basophil degranulation for pharmacological studies. *J Immunol Methods* 1987; 98: 279–82.
26. Crockard AD, Ennis M. Laboratory-based allergy diagnosis; should we go with the flow? *Clin Exp Allergy* 2001; 31: 957–77.
27. Sainte-Laudy J, Sabbah A, Vallon C, Guerin JC. Analysis of anti-IgE and allergen induced human basophil activation by flow cytometry. Comparison with histamine release. *Inflamm Res* 1998; 47: 401–8.
28. Shore PA, Burkhalter A, Cohn Jr, V H A method for the fluorometric assay of histamine in tissues. *J Pharmacol Exp Ther* 1959; 127: 182–6.
29. Kremzner LT, Wilson JB. A procedure for the determination of histamine. *Biochim Biophys Acta* 1961; 50: 364–7.
30. Bergendorff A, Uvnas B. Storage of 5-hydroxytryptamine in rat mast cells. Evidence for an ionic binding to carboxyl groups in a granule heparin-protein complex. *Acta Physiol Scand* 1972; 84:320–33.
31. Sainte-Laudy J, Belon P. Application of flow cytometry to the analysis of the immunosuppressive effect of histamine dilutions on human basophil activation: effect of cimetidine. *Inflamm Res* 1997; 46(Suppl 1): S27–8.
32. Doutremepuich C, Aguejouf O, Pintigny D, Sertillanges MN, De Seze O. Thrombogenic properties of ultra low dose of acetylsalicylic acid in a vessel model of laser induced thrombus formation. *Thrombosis Research* 1994; 76; 2: 225–9.
33. Belougne-Malfatti E, Aguejouf O, Doutremepuich F, Belon P, Doutremepuich C. Combination of two doses of acetyl salicylic acid : experimental study of arterial thrombosis. *Thrombosis Research* 1998; 90: 215–21.
34. Aguejouf O, Malfatti E, Belon P, Doutremepuich C. Time related neutralization of two doses acetyl salicylic acid. *Thrombosis Research* 2000; 100: 317–23.
35. Jonas WB, Lin Y, Tortella F. Neuroprotection from glutamate toxicity with ultra-low dose glutamate. *Neuroreport* 2001; 12: 335–9.
36. Marotta D, Marini A, Banaudha K, Maharaj S, Ives J, Morrissette CR et al. Non-linear effects of cycloheximide in glutamate-treated cultured rat cerebellar neurons. *Neurotoxicology* 2002; 23: 307–12.
37. Cazin JC, Cazin M, Gaborit JL, Chaoui A, Boiron J, Belon P et al. A study of the effect of decimal and centesimal dilutions of arsenic on the retention and mobilization of arsenic in the rat. *Human Toxicology* 1987; 6: 315–20.

-
1. Aabel S., Fossheim S., Rise F., « Nuclear magnetic resonance (NMR) studies of homeopathic solutions », *Br.Hom.J.*, 90 : 14-20, 2001.
 2. Agnastostatos G.S., “Small water clusters (clathrates) in the preparation process of homeopathy”, 121-128, 5-19, in *Ultra High Dilution, Physiology and Physics*, Endler and Schulte Eds, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-2676-8, 1994.
 3. Andersen O., K.B.Doving, “Gonadotropin releasing hormone, a novel olfactory stimulant in fish”, *Neuroreport*, 2 : 458-460, 1991.
 4. Bastide M, Daurat V., Doucet-Jaboeuf M., Pelegrin A., Dorfman P. “Immunomodulatory activity of very low doses of thymulin in mice”, *Int.J.Immunotherapy*, 3 : 191-200, 1987.
 5. Bastide M, Doucet-Jaboeuf M., Daurat V., “Activity and chronopharmacology of very low doses of physiological immune inducers”, *Immunol. Today*, 6 : 234-235,1985.
 6. Bastide M, Lagache A., Lemaire-Misonne C., « Le paradigme des signifiants : schème d’information applicable à l’Immunologie et à l’Homéopathie », *Revue Intern. Systémique*, 9, pp 237-249, 1995.
 7. Bastide M, Lagache A., The paradigm of Signifiers, Alpha Bleue Publishers, Paris, 1992.
 8. Bastide M., Boudard F., A novel concept of immunomodulation, in *Forum sur l’Immunomodulation*, M.Guenounou Ed, John Libbey Publishers Paris, 303-316, ISBN 2-7420-0076-3, 1995.
 9. Bastide M., Recherche Fondamentale, in : A.Saremboaud, *Abrogé d’Homéopathie*, Masson Paris Publisher, 221-234, 2002.

10. Bell IR, Lewis DA2nd, Brooks AJ, Lewis SE, Schwartz GE, « Gas discharge visualisation evaluation of ultramolecular doses of homeopathic medicines under blinded , controlled conditions », *J Altern Complement med.*, 9 : 25-38, 2003.
11. Bellavite P., Andrioli G., Lussignoli S., Bertani S., Conforti A. « Homeopathy in the perspective of scientific research », *Ann.Ist. Super Sanita*, 35 : 517-527, 1999.
12. Benveniste J., B.Arnoix and L.Hadji, “ Highly dilute antigen increases coronary flow of isolated heart from immunized guinea-pigs”, *FASEB* n° 3900, 1992.
13. Betti L, Brizzi M, Nani D, Peruzzi M, Effect of high dilutions of Arsenicum album on wheat seedlings from seeds poisoned with the same substance, *Br Hom J*, 86 : 86-89, 1997.
14. Biswas S, Khuda-Bukhsh A, « Effect of homeopathic drug, *Chelidonium*, in amelioration of p-DAB induced hepatocarcinogenesis in mice », *BMC Complement Altern Med*, 2 : 4, 2002.
15. Bonamin L.V., Nina A.L., Caviglia F., Martinho K., « Very low dilutions of dexamethasone inhibit their own pharmacological effect in vivo », *Br.Hom.J.*,90 :198-203, 2001.
16. Boudard F., M.Bastide, “Inhibition of mouse T-cell proliferation by CGRP and VIP: effects of these neuropathies on IL-2 production and cAMP synthesis”, *J.Neurosc.Res.*, 29, pp 29-41, 1991.
17. Brizzi M, Nani D, Peruzzi M, Betti L, « Statistical analysis of the effect of high dilutions of arsenic in a large dataset from a wheat germination model », *Br Hom J*, 89 :63-67, 2000.
18. Cal J.C., F.Larue, J.Guillemain, J.Cambar, “Chronobiological approach of protective effects of *Mercurius* against mercury-induced nephrotoxicity”, *Ann. Rev. Chronopharmacol.*, 3 : 99-102, 1986.
19. Chakrabarti J, Biswas SJ, Khuda-Bukhsh AR, « Cytogenetical effects of sonication in mice and their modulations by actinomycin D and a homeopathic drug, *Arnica 30* », *Indian J Exp Biol*, 39 : 1235-1242, 2001.
20. COST Action B4, Final report supplement, « Basic Research Litterature Review », *Office for Official Publication of the European Committee Publisher*, 158-161, 1999.
21. Daurat V., » Modulation de la réponse immunitaire de la souris par des doses infrapharmacologiques d'immunomédiateurs », *Thèse Docteur ès Sci.Pharm. & Biol., Université de Montpellier I, France*, 1988.
22. Davenas E., Poitevin B., Benveniste J., « Effect on mouse peritoneal macrophages of orally administered very high dilutions of *Silicea* » ; *Europ.J.Pharmacol.*, 135 : 313-319, 1987.
23. Del Giudice E., “Is the memory of water a physical impossibility”, 117-119, 5-19, in *Ultra High Dilution, Physiology and Physics*, Endler and Schulte Eds, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-2676-81994.
24. Delbancut A, « Contribution à l'étude des effets de hautes dilutions de métaux vis-à-vis de la cytotoxicité du Cadmium sur des cultures de cellules tubulaires rénales », *Thèse Université Bordeaux II, France*, Juillet 1994.
25. Delbancut A., Barouillet M.P., Cambar J., « Evidence and mechanistic approach of the protective effects of heavy metal high dilutions in Rodent and renal cell cultures. », in *Signal and Images*, M.Bastide Ed, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-4466-9, 71-83, 1997.
26. Demangeat JL., C.Demangeat, P.Gries, B.Poitevin, A.Constantinesco, « Modifications des temps de relaxation RMN à 4 MHz des protons du solvant dans les très hautes dilutions salines de silice/lactose », *J.Med.Nucl.Biophys*, 16 :135-145, 1992.
27. Demangeat JL., P.Gries, B.Poitevin, “Modification of 4 MHz N.M.R. water proton relaxation times in very high diluted aqueous solutions”, in *Signal and Images*, M.Bastide Ed, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-4466-9, 95-110, 1997.
28. Doucet-Jaboeuf M, J.Guillemain, M.Piechaczyk, Y.Karouby., M.Bastide, « Evaluation de la dose limite d'activité du Facteur Thymique Sérique », *C.R.Acad.Sci.*, 295, III 1982.
29. Doucet-Jaboeuf M., « Activité de très faibles doses d'hormones thymiques sur la réponse immunitaire humorale de la souris : incidence sur le rythme circannuel », *Thèse Docteur es Sciences Pharm.& Biol., Université de Montpellier I,France* ; 1986.
30. Doutremepuich C, Aguejouf O., Pintigny D., Sertillanges M.N. and De Seze O., “Thrombogenic properties of ultra-low-doses of acetylsalicylic acid in a vessel model of laser-induced thrombus formation”, *Thrombosis Res.*, 76, pp 225-229, 1994.
31. Doutremepuich C, De Seze O., Le Roy D.,Lalanne M.C., Anne M.C., “Aspirin at very ultra low dosage in healthy volunteers effects on bleeding time, platelet aggregation and coagulation”, *Haemostasis*, 20, pp 99-105, 1990.
32. Doutremepuich C., Pailley D., Anne M.C., De Seze O, Paccalin J., Quilichini R., « Template bleeding time after ingestion of ultra low dosages of acetylsalicylic acid in healthy subject », *Thrombosis Res.*, 48 :501-504, 1987
33. Endler P.C, Pongratz W., Kastberger G., Wiegant F.A.C., Schulte J., “The effect of highly diluted agitated thyroxine on the climbing activity of frogs”, *J.Vet.Hum.Tox.*, 36 : 56-59, 1994.

34. Endler P.C., Heckman C., Lauppert E., Pongratz W., Alex J., Dieterle D., Lukitsch C., Vinattieri C., Smith C.W., Senekowitsch F., Moeller H., Schultze J., « The metamorphosis of amphibians and information of thyroxin storage via the bipolar fluid water and on a technical data carrier ; transference via an electronic amplifier. », in : *Fondamental Research in Ultra High dilution and Homeopathy*, Endler PC, Schulte J Editors, Kluwer Academic Publisher, Dordrecht, ISBN , 0-7923-5051-0, 155-187, 1997b.
35. Endler PC, W.Pongratz, C.W.Smith, J.Schulte, “Non-molecular information transfer from thyroxine to frogs with regard to homeopathic toxicology”, *Vet.Human Tox.*, 37 : 259-260, 1995.
36. Endler PC, W.Pongratz, C.W.Smith, J.Schulte, F.Senekowitsch, M.Citro, “Non molecular information transfer from thyroxine to frogs”, in *Signal and Images*, M.Bastide Ed, Kluwer Academic Publisher, Dordrecht, , 0-7923-5051-0, 149-160, 1997a.
37. Entretiens du Carla, « L’homéopathie : relations entre les recherches actuelles et la pratique médicale et pharmaceutique », Laboratoires Pierre-Fabre, 24 & 25 octobre 2002.
38. Guennoun M. « Impact des rayonnements ionisants sur le système immunitaire et effet radioprotecteur d’une préparation à base de bursine, thymuline et interleukine 3 chez la souris BALB/c. »*Thèse Doctorat Université Montpellier I*, France, 2000.
39. Guennoun M., Boudard F., Cabaner C., Robbe Y., Dubois J.B., Bastide M., « Radioprotective effect of immunomediators in total body irradiated BALB/c mice according to the season » *Chronobiology Internat.*, 14, Suppl 1, 119,1997.
40. Hadji L., Arnoux B and Benveniste J, “Effect of dilute histamine on coronary flow of guinea-pig isolated heart. Inhibition by a magnetic field”. *FASEB*, n°7040, 1992.
41. Hintz KJ, Yount GL, Kadar I, Schwartz G, Hammerschlag R, Lin S, « Bioenergy istamines and research guidelines », *Altern Ther Health Med*, 9 :A13-30, 2003.
42. Homeopathic Medicine Research Group Report, Direction Générale XII, Commission Européenne. *Rapport final*, Commission Européenne Ed. , 229 pages, 1996.
43. Kiang JG, Marotta D, Wirkus M, Wirkus M, Jonas WB, « External bioenergy increases intracellular free calcium concentration and reduces cellular response to heat stress », *J Invest Med*, 50 :38-45, 2002.
44. Kundu SN, Mitra K, Khuda Bukhsh AR, « Efficacy of a potentized drug (*Arsenicum album* 30) in reducing cytotoxic effects produced by arsenit istamin in mice : IV. Pathological changes, protéine profile, and content of DNA and RNA », *Complement Ther Med*, 8 : 157-165, 2000.
45. Jonas W, Lin Y, Tortella F, « Neuroprotection from glutamate toxicity with ultra-low dose glutamate », *Neuroreport*, 12 : 335-339, 2001.
46. Lagache A, « What is Information ? »in *Signal and Images*, Bastide M ed., Dordrecht Kluwer Academic Publisher, ISBN 0-7923-5051-0, 279-293, 1997a.
47. Lagache A, Echos du sensible, Alpha Bleue Publisher, Paris, 1988.
48. Lagache A,”Notes on the conceptual basis of Science”, in *Signal and Images*, M.Bastide Ed, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-5051-0, 269-279, 1997b.
49. Le Moigne J.L., « La théorie du système général, théorie de la modélisation », 2^{ème} ed.,3^{ème} ed. augmentée, PUF Publisher Paris, 1977, 1990.
50. Le Moigne J.L., Carée H., “on modelling complex system applied to homeopathy”, in: *Signal and Images*, M.Bastide Ed, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-5051-0, 203-214, 1997.
51. Leung-Tack J., J.Martinez, J.L.Sansot, Y.Manuel, A.Coll, “Inhibition of phagocyte functions by a synthetic peptide lys-pro-pro-arg (postin)”, *Protides Biol.Fluids Proc.Colloq.*, 34 : 205-208, 1986.
52. Linde K, Clausius N, Ramirez G, Melchart D, Eitel F, Hedges LV, Jonas WB, « Are the clinical effects of homeopathy placebo effects , a meta-analysis of placebo-control trials » ; *Lancet*, 350 : 834-843, 1997.
53. Litime M.H., J.Afssa and J.Benveniste, ”Antigen signalling at high dilution”, *FASEB*, n° 3488, 1992.
54. Markovac J., G.W.Goldstein “Picomolar concentrations of lead stimulate brain protein kinase C”, *Nature*, 334, pp 71-73, 1988.
55. Mitra K, Kundu SN, Khuda Bukhsh AR, « Efficacy of a potentized drug (*Arsenicum album* 30) in reducing cytotoxic effects produced by arsenit istamin in mice : II. On alterations in body weight, tissue weight and total protein», *Complement Ther Med*, 7 : 24-34, 1999.
56. Oberbaum M,Markovits R., Weisman Z., Kalinkovich A., Bentwich Z., ” Wound healing by Homeopathic Silica Dilutions in Mice”, *Harefuah*, 123 : 79-82, 1992.
57. Pavel S., D.Psatta, R.Goldstein, “Slow-wave sleep induced in cats by extremely small amounts of synthetic and pineal vasotocin injected into the third ventricle of the brain”, *Brain Res. Bull.*, 2, pp 251-254, 1977.

58. Poitevin B., Aubin M., Benveniste J., « Approche quantitative de l'effet d'*Apis mellifera* sur la dégranulation des basophiles humains in vitro », *Innovation et Technologie en Biologie et Médecine*, 7 : 64-68, 1986.

59. Poitevin B., Davenas E., Benveniste J., « In vitro immunological degranulation of human basophils modulated by lung histamine and *Apis mellifera* », *Br.J.Clin.Pharmac.*, 25 : 439-444, 1988.

60. Pongratz W., P.C. Endler, “Reappraisal of a classical botanical experiment in ultra high dilution research. Energetic coupling in a wheat model”, 19-26, in *Ultra High Dilution, Physiology and Physics*, Endler and Schulte Eds, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-2676-8, 1994.

61. Reilly D.T., Taylor M.A., Mc Sharry C., Aitchison T., « Is homeopathy a placebo response ? Controlled trial of homeopathic potency with pollen in hayfever as model », *The Lancet*, 881-886, 1986.

62. Rey L, « Thermoluminescence of ultra-high dilutions of lithium chloride and sodium chloride », *Physica*, A 323 : 67-74, 2003.

63. Rubik B, « The biofield hypothesis : its biophysical basis and role in medjidieh », *J Altern Complement Med*, 8 : 703-17, 2002.

64. Schulte J, “Conservation of structures in aqueous ultra high dilutions”, pp 105-115, in *Ultra High Dilution, Physiology and Physics*, Endler and Schulte Eds, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-2676-81994.

65. Schulte J. « On the dynamics of Fullerene multiprogramming. Supramolecular Science, 2-3, 1996.

66. Schultz H., “Über die theorie der arzneimittelwirkung”, *Virchows Archiv*, 108, pp 423-434, 1877.

67. Schwartz GE, Russek LG, Bell IR, Riley D, « Plausibility of homeopathy and conventional chemical therapy : the systémique memory resonance hypothesis », *Med Hypotheses*, 54 :634-7, 2000.

68. Southam C.M., J.Erlich, “Effects of extracts of western red-cedar heartwood on certain wood-decaying fungi in culture”, *Phytopathology*, 33 : 515-524, 1948.

69. Stebbing A.R.D., “Hormesis- Stimulation of colony growth in *Campanularia flexuosa*, (hydrozoa) by copper, cadmium and other toxicants”, *Aquatic Tox.*, 1 : 227-238, 1981.

70. Taddei Ferretti C., A Cotugno, “Treatment of the teratogenicity induced in mice by caffeine or adenine”, *Progr.Biochem.Biotechnol.*, 3, 1995.

71. Tisseyre H. Analyse et évaluation de la recherche fondamentale en Homéopathie : proposition de critères méthodologiques. *Thèse Doctorat Pharmacie*, Université Montpellier I, Novembre 1996.

72. Van Wijk R, Ooms H., Wiegant F.A.C., Souren J.E.M., Ovelgonne J.H., van Aken J.M., Bol A.W.J.M., “A molecular basis for understanding the benefits from subharmful doses of toxicants; an experimental approach to the concepts of hormesis and the homeopathic similia law”, *Environ.Manag. Health*, 5 :13-25, 1994c.

73. Van Wijk R, Welters M., Souren J.A., Ovelgonne H., Wiegant F.A.C. “Serum-stimulated cell cycle progression and stress protein synthesis in C3H10T1/2 fibroblasts treated with sodium arsenite”, *J.Cell.Physiology*, 155 : 265-272, 1993.

74. Van Wijk R. and F.A.C.Wiegant, “Physiological effects of homeopathic medicines in closed phials; a critical evaluation”, 81-95, in *Ultra High Dilution, Physiology and Physics*, Endler and Schulte Eds, Kluwer Academic Publisher, Dordrecht, ISBN 0-7923-2676-8, 1994.

75. Youbicier-Simo BJ, Boudard F, Mekaouche M, , Baylé JD, Bastide M . « A role for Bursa Fabricii and bursin in the ontogeny of the pineal biosynthetic activity in the chicken. », *J.Pineal Res.*, 21: 35-43, 1996a.

76. Youbicier-Simo BJ, Boudard F, Mekaouche M, , Baylé JD, Bastide M . « Specific abolition reversal of pituitary-adrenal activity and control of the humoral immunity in bursectomized chickens through highly tern. *J. Immunopathol. Pharmacol.*, 9: 43-51, 1996b.

77. Youbicier-Simo BJ, F.Boudard, M.Mekaouche, M.Bastide., J.D.Bayl. « Effects of embryonic bursectomy and in ovo administration of highly diluted bursin on adrenocorticotropic and immune response of chickens ». *Int.J.Immunotherap.*, , 9: 169-180, 1993.

1. L.R.Rey, Thermoluminescence of ultra-high dilutions of lithium chloride and sodium chloride. *Physica* 2003; A323: 67-74

2. S.W.S. McKeever, Thermoluminescence of Solids, Cambridge University Press, Cambridge, 1985, pp. 1-376.

3. R. Chen, S.W.S. McKeever, Theory of Thermoluminescence and Related Phenomena, World Scientific, Singapore, 1997, pp. 1-559.

4. R. Visocekas, Nucl. Tracks Radiat. Meas. 14 (1988) 163.

5. L.R. Rey, Low temperature thermoluminescence, *Nature* 391 (1988) 418.

6. L.R. Rey, Thermoluminescence de la glace, C.R. Physique 1 (2000) 107–110.
 7. J. Teixeira, Personal communication, 1998.
-

1. Bastide M., Lagache A. The paradigm of corporeal signifiers *Revue Intern. Systémique* 1995; 9: 237-249 and *Altern Ther Health Med.* 1997; 3: 35-9
 2. Claude Bernard (*Introduction à la Médecine Expérimentale*)
 3. S.Hahnemann, *Organon*.
 4. Charles Nicolle, *Nobel Price 1929, Life and Death of Illness*.
 5. Jean-Marie Pelt, 1994.
-

- (1) Linde W; Melchart D; Jonas WB; Hornung J. Ways to enhance the quality and acceptance of clinical and laboratory studies in homeopathy. *British Homeopathic Journal*, 83: 3-7, 1994.
- (2) Elliott M. Cushing's disease : a new approach to therapy in equine and canine patients. *British Homeopathic Journal*, 90: 33-36, 2001.
- (3) Estevão E; Bonamin LV. A homeopatia tratando distúrbios de comportamento: cães agressivos e/ou destrutivos. Anais do VIII SINAPIH, 20-22 may, 2004. p. 29. (<http://climed.epm.br/sinapih/index>).
- (4) Benites N. et al. *Clinica Veterinária*, 9(49): 58-60, 2004.
- (5) Benites N. et al. *Clinica Veterinária*, 8(47): 68-70, 2003.
- (6) Taylor SM; Mallon TR; Green WP. Efficacy of a homoeopathic prophylaxis against experimental infection of calves by the bovine lungworm Dictyocaulus viviparus. *The veterinary record*, 124: 15-17, 1989.
- (7) Suhett SP. Homeopathic treatment of the heartworm (Dirofilaria immitis). *Homeopatia Brasileira*, 4(2): 548-552, 1998.
- (8) Day CEI. Clinical trials in bovine mastitis. Use of nosodes for prevention. *British Homeopathic Journal*, 75(1): 11-14, 1986.
- (9) Day CEI. Isopathic prevention of kennel cough – Is vaccination justified ? *J. Int. Assoc. Vet. Homeopathy*, 2: 45-51, 1987.
- (10) Saxton J. The use of canine distemper nosode in disease control. *I.J.V.H.*, 5(1, 2): 8-12, 1991.
- (11) Gonçalves MI; Biagine M; Neto MF; Schor N. O uso da homeopatia no tratamento da infecção urinária em ratas. Anais do VIII SINAPIH, 20-22 may, 2004. p. 25-26. (<http://climed.epm.br/sinapih/index>).
- (12) Jouanny J. The essential of homeopathic therapeutics. Lyon : Laboratoires Boiron, 1995.
- (13) Goulart FC; Guimarães SSL; Rocha Azevedo DA; Lazarini SLB; Bernardi MM. Avaliação dos efeitos de Hypericum perforatum (Hp) dinamizado homeopaticamente em comportamento de ratos. Anais do VIII SINAPIH, 20-22 may, 2004. p. 14. (<http://climed.epm.br/sinapih/index>).
- (14) Williamson AV; Mackie WL ; Crawford WJ ; Rennie B. A study using Sepia 200c given prophylactically postpartum to prevent anoestrus problems in the dairy cow. *British Homeopathic Journal*, 80: 149-156, 1991.
- (15) Torro AR; Larsson CE; Bonamin LV. Homeopatia e dermatoses por lambadura : estudo clínico. *Revista Brasileira de Ciência Veterinária* (in press).
- (16) Coelho CP; D'Almeida V; Bonamin LV. Modelos experimentais como instrumento de estudo terapêutico veterinário homeopático: uso do Dolichos pruriens. Anais do VIII SINAPIH, 20-22 may, 2004. p. 48. (<http://climed.epm.br/sinapih/index>).
- (17) Pinto SAG; Bohland E; Bonamin LV; Morgulis MSFA. Efeitos comportamentais do medicamento homeopático Chamomilla em camundongos submetidos a um modelo de estresse social. Anais do VIII SINAPIH, 20-22 may, 2004. p. 46-47. (<http://climed.epm.br/sinapih/index>).
- (18) Bonamin LV; Martinho KS; Nina AL; Caviglia F; Do Rio RGW. Very high dilutions of Dexamethasone inhibit their pharmacological effect in vivo. *British Homeopathic Journal*, 90(4): 198-203, 2001.
- (19) Betti L; Lazzarato L; Trebbi G; Brizzi M; Calzoni GL; Borghini F; Nani D. Effects of homeopathic arsenic on tobacco plant resistance to tobacco mosaic virus. Theoretical suggestions about system variability, based on a large experimental data set. *Homeopathy*, 92: 195-202, 2003.
- (20) Mahé F. Essai pathogénique en double aveugle d'un grand remède homéopathique chez le lapin: Arsenicum album. *Homeopathie Française*, 75 : 237-251, 1987.
- (21) Almeida NT; D'Almeida V; Pustiglione M. The effect of fluorine and homeopathic medicines in rats fed cariogenic diet. *Homeopathy*, 93: 138-143, 2004.
- (22) Bonamin LV; Darby P. Homeopathy and dental caries: implications for dental practice and veterinary research. *Homeopathy*, 93: 119, 2004.
- (23) Guajardo-Bernal G; Searcy-Bernal R; Soto-Avila J. Growth-promoting effect of Sulphur 201c in pigs. *British Homeopathic Journal*, 85: 15-6, 1996.
- (24) Hammarberg K.E. Animal welfare in relation to standards in organic farming. *Acta Vet. Scand.*, suppl. 95: 17-25, 2001.

(25) Varshney JP; Naresh R. Evaluation of a homeopathic complex in the clinical management of udder diseases of riverine buffaloes. Homeopathy, 93: 17-20, 2004.

- (26) Stopes C; Woodward L. The use and efficacy of a homeopathic nosode in the prevention of mastitis in dairy herds: a farm survey of practicing users. Bull. Organ. Agr., 10: 6-10, 1990.
- (27) Filliat C. Particularité de l'utilisation de l'homeopathie en production avicole. Annals of the « Entretiens Internationaux de Monaco 2002 », october 5th-6th, 2002.
- (28) Riaucourt A. L'Exemple de la Filière Porcine. Annals of the « Entretiens Internationaux de Monaco 2002 », october 5th-6th, 2002.
- (29) Loken T. Alternative therapy of animals – homeopathy and other alternative methods of therapy. Acta Vet. Scand. Suppl. 95: 47-50, 2001.
-

1. Thompson E.A., Reilly D. The homeopathic approach to the treatment of symptoms of oestrogen withdrawal in breast cancer patients. Homeopathy, 2003, 92/3 (131-134), ISSN: 1475-4916.
 2. White A, Slade P, Hunt C, Hart A, Ernst E. Individualised homeopathy as an adjunct in the treatment of childhood asthma. Thorax, 2003 Apr;58(4):317-21.
 3. Dias Brunini C.R. Qualidade de vida e abordagem homeopatica em crianc (cedilla) as asmaticas. Infanto, 2002, 10/1 (18-21), ISSN 1413-0270.
 4. Thompson E.A., Reilly D. The homeopathic approach to symptom control in the cancer patient. Palliative Medicine, 2002, 16/3 (227-233), ISSN: 0269-2163
 5. Weber U., Lüdtke R., Friese K.H., Fischer I., Moeller H. A non-randomised pilot study to compare complementary and conventional treatments of acute sinusitis. Forschende Komplementarmedizin und Klassische Naturheilkunde, 2002, 9/2 (99-104), ISSN: 1424-7364.
 6. Anelli M, Scheepers L, Sermeus G, van Wassenhoven M. Homeopathy and health related Quality of life : a survey in six European countries. Homeopathy, 2002 Jan;91(1):18-21.
 7. Guethlin C, Walach H. Prospektive Dokumentationstudie in der nierdergelassenen Praxis – ein Erprobungsverfahren zur Akupunktur und Homoopathie. Erfahrungsheilkunde 2001 Apr;50(4):186-94, ISSN: 0014-0082.
 8. Muscarini R, Kemmler G, Schweigkofler H, Holzner B, Dunser M, Richter R, Fleischhacker WW, Sperner-Unterweger B. Observational study of quality of life in patients with headache, receiving homeopathic treatment. Br. Homeopath J.2001 Oct;90(4):189-97.
 9. Heger M, Riley DS, Haidvogl M. International integrative primary care outcomes study (IIPCO-S-2): An international research project of homeopathy in primary care. Br Homeopath J.2000, 89/SUPPL.1(S10-S13), ISSN:0007-0785.
 10. Strosser W, Weiser M. Lebensqualität bei Patienten mit Schwindel – Homöopathikum im Doppelblind-Vergleich. Biol Medizin 2000 Oct;29(5):242-7 ISBN 0340-8671.
 11. Hochstrasser B. Lebensqualität von schwangeren Frauen in Abhnagigkeit von einer homöopathischen oder schulmeizinischen Betreuungsform und vom Schangerschaftsverlauf. Forsch Komplementarmed. 1999 Feb;6 Suppl 1:23-5.
 12. Becker-Witt C, Lüdtke R, Willich SN. "Patienten in der homöopathischen Praxis"- In: Albrecht H, Frühwald M (ed.). Jahrbuch 9, Karl und Veronica Carstens-Stiftung., Essen: KVC Verlag, 2003
 13. Becker-Witt C, Lüdtke R, Weber K, Willich SN. The effects of homoeopathic therapy on health-related quality of life. FACT 2003. 8:124.
 14. Riley D., Fischer M., Singh B., Haidvogl M., Heger M. Homeopathy and Conventionl Medicine: An Outcomes Study Comparing Effectiveness in a Primary Care Setting. The Journal of Alternative and Complementary Medicine Volume 7, Number 2, 2001 pp. 149-159.
 15. Guethlin C, Walach H. The challenge of assessing the effects of homeopathy in real life practice. Improving the Success of Homeopathy 4: 3-4 April 2003 50-56
-

1. Becker-Witt et al. Effectiveness and costs of Homeopathy compared to conventional medicine – a prospective multicenter cohort study. London: The Royal Homeopathic Hospital, 2003.
2. Frei H, Thurneysen A. Homeopathy in acute otitis media in children: treatment effect or spontaneous resolution? Br Homeopath J 2001 Oct ;90 (4):180 -2 90(4):180-182.
3. Frenkel M, Hermoni D. Effects of homeopathic intervention on medication consumption in atopic and allergic disorders. Altern Ther Health Med 2002 Jan -Feb ;8 (1):76 -9 8(1):76-79.
4. Guethlin C, Walach H. Prospektive Dokumentationsstudie in der niedergelassenen Praxis- ein Erprobungsverfahren zur Akupunktur und Homöopathie. EHK 2001;186-194.

5. Schafer T, Riehle A, Wichmann HE, Ring J. Alternative medicine in allergies - prevalence, patterns of use, and costs. Allergy 2002; 57(8):694-700.
6. Trichard M, Chaufferin G. Cost-effectiveness study of treatment of anxiety disorders by homeopathic general practitioners. Improving the success of homeopathy, 2003.
7. Trichard M, Chaufferin G. Cost-effectiveness study of treatment of recurrent acute rhinopharyngitis in 18 Month-old to 4-year-old children by homeopathic general practitioners. Improving the success of homeopathy, 2003.
8. Trichard M, Lamure E, Chaufferin G. Study of the practice of homeopathic general practitioners in France. Homeopathy ed. 2003, Vol92/3;135-139.
9. van Haselen RA, Graves N, Dahiha S. The costs of treating rheumatoid arthritis patients with complementary medicine: exploring the issue. Complement Ther Med 1999; 7(4):217-221.
10. Chaufferin G. Improving the evaluation of homeopathy: economic considerations and impact on health. Br Homeopath J 2000 Jul;89 Suppl 1:S27-30
11. Jain A. Does homeopathy reduce the cost of conventional drug prescribing? A study of comparative prescribing costs in general practice. Homeopathy 2003 Apr;92(2):71-6
12. van Wassenhoven M, Ives G. An observational study of patients receiving homeopathic treatment. Homeopathy 2004 January;93:3-11.
13. Taïeb C, Myon E. Chronic allergic rhinitis, usefulness of the homeopathic treatment. International Society of Pharmaco economics & Outcomes Research. 8th Annual International Meeting May 18-21,2003.

1. Cucherat M, Haugh MC, Gooch M, Boissel JP Evidence of clinical efficacy of homeopathy: a meta-analysis of clinical trials Eur J Clin Pharmacology (2000) 56:27-33
2. Jonas WB, Kaptchuk TJ, Linde K. A Critical Overview of Homeopathy Ann. Intern. Med. 2003; 138 (5) 393-399
3. Kleijnen J, Knipschild P, ter Riet G. Clinical trials of homeopathy, Brit Med J 1991; 302: 316-323.
4. Linde K, Clausius N, Ramirez G, Melchart D, Eitel F, Hedges L, Jonas W. Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo controlled trials. Lancet 1997; 350: 834-43.
5. Linde K, Melchart D, Randomised controlled trials of individualized homeopathy; a state-of-the-art review. Journal Alternative and Complementary Medicine 1998; 4:371-388
6. Linde K, Scolz M, Ramirez G, Clausius N, Melchart D, Jonas WB Impact of Study Quality on Outcome in Placebo-Controlled Trials of Homeopathy. J Clin Epidemiol 1999; 52(7): 631-636
7. Dean ME, The Trials of Homeopathy: Origins, Structure, and Development. Hans Walz Preisschrift, Essen:KVC Verlag, 2004.

1. Aabel S, Laerum E, Dölvik S, Djupesland, P. Is homeopathic 'immunotherapy' effective? - A double-blind, placebo-controlled trial with the isopathic remedy Betula 30c for patients with birch pollen allergy. Brit Hom J 89(4), 2000: 161-168
2. Aabel S. No beneficial effect of isopathic prophylactic treatment for birch pollen allergy during a low-pollen season - A double-blind, Placebo-controlled clinical trial of homeopathic Betula 30c. Brit Hom J 89(4), 2000: 169-173
3. Aabel S. Prophylactic and acute treatment with the homeopathic medicine Betula 30c for birch pollen allergy: a double blind, randomized, Placebo-controlled study of consistency of VAS responses Brit Hom J 90(2), 2001: 73-78
4. Abelson M, George MA, Garofalo C, Weintraub D. An effective treatment for allergy sufferers. Spectrum 1995; 28-32
5. Abelson MB, George MA, Garofalo C, Weintraub D. An Effective Treatment for Allergy Sufferers. Biological Therapy 1996; 14(1): 161–164.
6. Albertini H, Goldberg W, Sanguy D, Toulza D. Bilan de 60 observations randomisées - Hypericum-Arnica contre Placebo dans les névralgies dentaires. Homéopathie 1(1), 1984: 47-49.
7. Alibeu JP, Jobert J. Aconit en dilution homéopathique et agitation post-opératoire de l'enfant Pédiatrie 45, 1990: 465-466
8. Andrade LEC, Ferraz MB, Atra E, Castro A, Silva MSM. A Randomized Controlled Trial to Evaluate the Effectiveness of Homeopathy in Rheumatoid Arthritis Scand J Rheumatol 20, 1991: 204-208
9. Arnal-Lasserre MN. Préparation à l'accouchement par homéopathie - Expérimentation en double insu versus Placebo. Académie de Paris, Université René Descartes, Faculté de Médecine de Paris-Ouest: 1987, Dissertation
10. Arrighi A. Evaluation of clinical efficacy in a homotoxicologic protocol for prevention of recurrent respiratory infections in pediatrics. La Medicina Biologica 2000; 3: 13-21.
11. Atmadjian A, Jeanvoine C, Hariveau E. Analyse de l'étude d'Arnica dans l'accouchement Les Dossiers de l'Obstétrique 1988 ; 149: 17-18.
12. Attena F, Toscano G, Agozzino E, Del Giudice N. A randomized trial in the prevention of influenza-like syndromes by homoeopathic management Rev Epidémiol Santé Publ 43, 1995: 380-382.
13. Aulagnier G. Action d'un traitement homéopathique sur la reprise du transit post opératoire Homéopathie 2(6), 1985:

42-45.

14. **Aulas JJ**, Chefdeville F. Compte-rendu d'une expérimentation clinique faite en Double Aveugle en 1941-42, en Grande-Bretagne, dont les résultats paraissent très favorables à l'homéopathie. Homéopathie 2(1), 1985: 29-31
15. **Awdry R**. Homoeopathy and chronic fatigue - the search for proof. Int J Altern Compl Med 2, 1996: 19-21
16. **Awdry R**. Homoeopathy may help ME. Int J Altern Compl Med 3, 1996: 12-16
17. **Baker DG**, Myers SP, Howden I, Brooks L. The effects of homeopathic Argentum nitricum on test anxiety. Complem Ther Med 11(2), 2003: 65-71
18. **Bakshi JPS**. Homeopathy – A new approach to detoxification. Proceedings of the National Congress on Homoeopathy & Drug Abuse and Current Medical Update. New Dehli, 1990: 20-28.
19. **Balzarini A**, Felisi E, Martini A, Conno F. The Efficacy of homeopathic treatment of skin reactions during radiotherapy for breast cancer - A randomised, doubleblind clinical trial. Brit Hom J 89(1), 2000: 8-12
20. **Barry R**, Collins M, Machin D, Smith M, Hazleman B, Barry M. Feasibility Study of Homoeopathic Remedy in Rheumatoid Arthritis. Br J Rheumatology 1995: 34 suppl., 2: 17.
21. **Basu TK**. A clinical study of Physostigma venenosum in the improvement of progressive myopia. Hahnemann Gleanings 48, 1981: 161-169
22. **Basu TK**. Studies on the role of Physostigma venosum in the improvement of simple myopia. Hahnemann Gleanings 47, 1980: 224-231
23. **Beer AM**, Sturm R, Küpper F. Der Einsatz eines homöopathischen Syndrom im Vergleich zur Hormonsubstitution. Erfahrungsheilkunde 1995; 44:336-340.
24. **Bekker GM**, van den Bosch W, van den Hoogen H. Bedriegt schone schijn? Een onderzoek om de gerapporteerde werking van een homeopathisch middel te objectiveren. Huisarts en wetenschap 36, 1993: 414-415
25. **Bendre JJ**, Dharmadhikari SD. Arnica montana and hypericum in dental practice. Hahnemann Gleanings o.Jg, 1980: 70-72
26. **Benzécri JP**, Maiti GD, Belon P, Questel R. Comparaison entre quatre methods de sevrage après une thérapeutique anxiolytique. Les Cahiers de l'Analyse des Données 16, 1991: 389-402
27. **Bergmann J**, Luft B, Boehmann S, Runnebaum B, Gerhard, I. Die Wirksamkeit des Komplexmittels Phyto-Hypophysen L bei weiblicher, hormonell bedingter Sterilität - Eine randomisierte, Placebokontrollierte, klinische Doppelblindstudie. Forsch Komplementärmed 7(4), 2000: 190-199
28. **Berrebi A**, Parant O, Ferval F, Thene M, Ayoubi JM, Connan L, Belon P. Traitement de la douleur de la montée laiteuse non souhaitée par homéopathie dans le post-partum immédiat. J Gynecol Obstet Biol Reprod 30(4), 2001: 353-357
29. **Bertier P**. Etude sur 80 cas en patientèle privée d'une prémédication homéopathique pour les extractions et la chirurgie buccale. In: L.M.H.I. (ed.): 40e Congrès de la Ligue Médicale Homéopathique Internationale, Lyon, France, 26-30 Mai, 1985. Lyon: No publisher, 1985: 79-82
30. **Bignamini M**, Bertoli A, Consolandi AM, Dovera N, Saruggia M, Taino S, Tubertini A. Controlled Double-blind Trial with Baryta carbonica 15CH Versus Placebo in a Group of Hypertensive Subjects Confined to Bed in Two Old People's Homes. Brit Hom J 76, 1987: 114-119.
31. **Bignamini M**, Saruggia M, Sansonetti G. Homoeopathic treatment of anal fissures using Nitricum acidum. Berlin J Res Hom 1, 1991: 286-287
32. **Böhmer D**, Ambrus P. Behandlung von Sportverletzungen mit Traumeel-Salbe - Kontrollierte Doppelblindstudie. BM 21(4), 1992: 260-268
33. **Bonne O**, Shemer Y, Gorali Y, Katz M, Shalev AY. A randomized, double-blind, Placebo-controlled study of classical homeopathy in generalized anxiety disorder. J Clin Psych 64(3), 2003: 282-287
34. **Bononi M**. Echinacea comp. Forte S in the prophylaxis of postoperative infections. A comparative study versus cefazidime and ceftriaxone. Medicina Bilogica 2001; 1:17-32.
35. **Bordes LR**, Dorfman P. Evaluation de l'activité antitussive du sirop Drosetux - Etude en double aveugle versus placebo. Cahiers d'Oto-rhino-laryngologie, de chirurgie cervico faciale et d'audiophonologie 21, 1986: 731-734.
36. **Bornorini C**. Trial Clinico. Diatesi Linfatico-Essudativa in Trattamento con Timosina a Dosi Omeopatiche Tecniche Mediche Associate 1997; 11: 3-9.
37. **Boucinhas JC**, Medeiros Boucinhas ID. de Prophylaxie des crises d'asthme bronchique chez l'enfant par l'usage de Poumon histamine 5 CH Homéopathie française 78(6), 1990: 35-39
38. **Bourgois JC**. Protection du capital veineux chez les perfusés au long cours dans le cancer du sein - Essai clinique en double aveugle - Arnica contre placebo. Université Paris Nord XIII, Faculté de Médecine: 1984, Dissertation
39. **Brigo B**, Serpelloni G. Homoeopathic Treatment of Migraines - A Randomized Double-blind Controlled Study of Sixty Cases - (Homoeopathic Remedy versus Placebo). Berlin J Res Hom 1(2), 1991: 98-106
40. **Brigo B**. Le traitement homéopathique de la migraine - Une étude de 60 cas contrôlée en double aveugle - Remède homéopathique vs. Placebo. In: LMHI (ed.): 42nd Congress of the International Homeopathic Medical League, 29 March – 2 April, 1987, Arlington, Virginia, USA. Arlington: No publisher, 1987: 318-329
41. **Brostoff J**. Low Dose Desensitisation. Comm Br Homoeopath Res Grp 1986; 16:21-24.
42. **Brydak LB**, Denys A. The evaluation of humoral response and the clinical evaluation of a risk-group patients' state of health after administration of the homeopathic preparation Gripp-Heel during the influenza epidemic season 1993/1994. Int Rev Allergol Clin Immunol 5/4, 1999: 223-227
43. **Bungetzianu G**. The Results Obtained by the Homeopathical Dilution (15CH) of an Antinfluenza (Anti-flu) Vaccine. In: LMHI (ed.) : 43rd Congress of the International Homeopathic Medical League, 1988, Athens, Greece. Athen: No publisher, 1988: 143
44. **Campbell A**. Two Pilot Controlled Trials of Arnica Montana. Brit Hom J 65, 1976: 154-158 .
45. **Campbell JH**, Taylor MA, Beattie N, McSharry C, Aitchinson T, Carter R Stevenson RD, Reilly DT. Is homeopathy a

Placebo response? A controlled trial of homeopathic immunotherapy in atopic asthma. Am Rev Resp Dis 1990; 141:A24.
 46. **Carey H.** Double blind clinical trial of borax and candida in the treatment of vaginal discharge. British Homeopathic Research Group Communications 1986; 15: 12-14.

47. **Carlini EA**, Braz S, Landfranco RP, et al. Efeito hipnótico de medicacao homeopática e do Placebo - Avaliacao pela técnica de "duplo-cego" e "cruzamento". Rev Ass Med Brasil 33, 1987: 83-88
48. **Casanova P, Gerard R.** Bilan de 3 années d'études randomisées multicentriques oscilloccinum/Placebo. In: Laboratoires Boiron, ed. Oscilloccinum – rassegna della letteratura internazionale. 1992; 11-16.
49. **Casanova P.** Essai clinique d'un produit appelé Uratone. Meth: Lab. Lehnig, 1981. unpublished.
50. **Casanova, P.** Homeopahtie, syndrome grippal et double insu. Tonus 1984; 25-26.
51. **Casper J, Foerstel G.** Traumeel bei traumatischen Weichteilschwellungen. TW 17,1967: 892-895
52. **Castelain T.** Etude de la action homéopathique de Raphanus sativus niger 5CH etd'Opium 15Ch sur la reprise du transit en chirurgie digestive post-opératoire.Thesis. Université de Bordeaux II, Bordeau 1979.
53. **Castro D**, Nogueira GG. Use of the nosode meningococcinum as a preventive against meningitis. J Am Inst Hom 68, 1975: 211-219
54. **Chapman EH**, Angelica J, Spitalny G, Strauss M. Results of a study of the homoeopathic treatment of PMS. J Am Inst Hom 87, 1994: 14-21
55. **Chapman EH**, Weintraub RJ, Milburn MA, et al. Homeopathic treatment of mild traumatic brain injury - A randomised, double-blind, Placebo-controlled clinical trial. J Head Trauma Rehabil 14, 1999: 521-542
56. **Chevrel JP**, Saglier J, Destable MD. Réprise du transit intestinal en chirurgie digestive - Action homéopathique de l'opium. Presse Médicale 13(14), 1984: 883.
57. **Chirila M**, Tuchel C. Traitement homéopathique de la pollinose. Homéopathie 1984; 1: 35-36.
58. **Chirila P.** Estudio clinico de los efectos des Phosphorus Triiodatus 7cH en hepatitis. Congreso International Organizacion Medica Homeopática Internacional (OMHI) 1990: 209–211.
59. **Cialdella P**, Boissel, JP, Belon P. Specialites homeopathiques en substitution de benzodiazepines: Etude en double-insu vs. Placebo - Homeopathic specialities as a substitute for benzodiazepines: A double-blind vs. Placebo study. Thérapie 4, 2001: 397-402
60. **Coudert M.** Etude expérimentale de l'action du Caulophyllum dans le faux travail et de la dystocie de mémarrage. Université de Limoges 1981; Thesis.
61. **da Silva Junior PV.** Prova terapéutica com Haldol dinamizado em pacientes psiquiátricos internados-método triplo cego. Rev. homeopatica (Sao Paolo) 1986; 170: 18-28.
62. **Daub EA**, Gerhard I, Bastert G. Homöopathische Antiemetika bei Chemotherapie, eine prospektive, randomisierte Studie. Geburtsh Frauenheilk 60 (suppl. 1), 2000: s157
63. **Davies AE.** A pilot study to measure Aluminium levels in hair samples of patients with dementia and the influence of Aluminium 30c compared with Placebo. Brit Hom Res Group Communications 18, 1988: 42-46
64. **Davies AE.** Clinical investigations into the actions of potencies. Brit Hom J 60, 1971: 36-41.
65. **de Barros Camargo LA**, Bechara Ventriglia CR. Estudo comparativo dos efeitos Placebo x medicamento homeopático, na totalidade sintomática característica, em hipertensos. Rev. homeopatica (Sao Paolo) 1988; 53(4): 135-137
66. **de Barros Camargo LA**, Bechara Ventriglia CR. Estudo piloto comparativo dos efeitos de Placebo e medicação homeopática, sobre os níveis pressóricos de pacientes hipertensos. Rev. homeopatica (Sao Paolo) 1988; 53(4): 132-134.
67. **de Lange-de-Klerk ESM**, Blommers J, de Kuik J, Bezemer PD, Feenstra L. Effects of homoeopathic medicines on daily burden of symptoms in children with recurrent upper respiratory tract infections. BMJ 309, 1994: 1329-1332
68. **Deguillaume M.** Etude expérimentale de l'action de Caulophyllum dans le faux travail et la dystocie de démarrage Université de Limoges, Faculté de Médecine et de Pharmacie: 1981, Dissertation.
69. **Demonceaux A.** Le rhume de cerveau. Médicines nouvelles 1990 ; 1(1): 64-67.
70. **Destro Castaniti M.** The use of Transfactor 11 in HPV infections (160 cases). Medicina Biologica 2000; 4: 95-100.
71. **Dexpert M.** Prévention des naupathies par Cocculine. Homéopathie française 75, 1987: 353-355
72. **Diefenbach M**, Schilken J, Steiner G, Becker HJ. Homöopathische Therapie bei Erkrankungen der Atemwege - Auswertung einer klinischen Studie bei 258 Patienten. Z Allg Med 73, 1997: 308-314
73. **Dorfman P**, Amodéo C, Ricciotti F, Tétau M, Véroux G. Evaluation de l'activité d'Arnica 5CH - Sur les troubles veineux après perfusion prolongée. Cahiers de Biotherapie 98(suppl), 1988: 77-82.
74. **Dorfman P**, Amodéo C, Ricciotti F, Tétau M, Véroux G. Iléus post-opératoire et homéopathie - Bilan d'une évaluation clinique. Cahiers de Biotherapie 114, 1992: 33-39
75. **Dorfman P**, Lasserre MN, Tétau M. Préparation à l'accouchement par homéopathie - expérimentation en double insu versus Placebo. Cahiers de Biotherapie (94), 1987: 77-81.
76. **Dorfman P**, Tétau M. Homéopathie et pathologie du sportif - Deux exemples de double aveugle: Marathon de New York et haltérophile. Cahiers de Biotherapie 86(suppl.), 1985: 77-81
77. **Dorfman P.** Préparation à l'accouchement par homéopathie - Étude en double aveugle versus Placebo. Homéopathie 2, 1988: 54
78. **Eid P**, Felisi E, Sideri M. Super Placebo or pharmacological action? A double-blind randomised trial with a homeopathic drug (Caulophyllum thalictroides) during labour. Proc V Congr. OMHI 1994.
79. **Ernst E**, Saradeth T, Resch KL. Complementary therapy of varicose veins – a randomized, placebo-controlled, double-blind trial. Phlebology 5, 1990: 157-163
80. **Ernst-Hieber E.** Wirkt eine homöopathische Hochpotenz anders als ein Placebo?, Randomisierte doppelblinde multiple Einzelfallstudie. Universität Freiburg, 1994, Dissertation.
81. **Estrangin J.** Essai d'approche expérimentale de la thérapeutique homéopathique, Université Scientifique et Medicale de

Grenoble, France: 1979, Dissertation.

82. **Fabbro V**, Gargiulo P, Minelli E. Multicentric study of the action of the homeopathic complex R40 in the treatment of hyperglycaemia. *Omeopatia Oggi* 1994; 5(10):1-16.

83. **Felisi E**, Saruggia M, Russo G, Balzarini A. Lésions cutanées précoces relevées au cours de radiothérapie misant au traitement du cancer du sein: L'efficacité d'une thérapie homéopathique. *OMHI Congress* 1994: 1-8.
84. **Ferley JP**, Poutignat A, Azzopardi Y, Charrel M, Zmirou D. Evaluation en médecine ambulatoire de l'activité d'un complexe homéopathique dans la prévention de la grippe et des syndromes grippaux. *Immunol Méd* 20, 1987: 22-28
85. **Ferley JP**, Zmirou D, d'Adhemar D, Baldacci F. A Controlled Evaluation of a Homoeopathic Preparation in the Treatment of Influenza-like Syndromes. *Brit J Clin Pharmacol* 27, 1989: 329-335.
86. **Fisher P**, Greenwood A, Huskisson EC, Turner B, Belon P. Effect of Homoeopathic Treatment on Fibrositis (Primary Fibromyalgia). *BMJ* 299, 1989: 365-366.
87. **Fisher P**, Scott DL. A randomized controlled trial of homeopathy in rheumatoid arthritis. *Rheumatol* 40, 2001: 1052-1055
88. **Fisher P**. An Experimental Double-blind Clinical Trial Method in Homoeopathy - Use of a Limited Range of Remedies to Treat Fibrositis. *Brit Hom J* 75(3), 1986: 142-147
89. **Freitas LAS**, Goldenstein E, Sanna OM. The indirect doctor-patient relationship and the homeopathic treatment of asthma in children. *Revista de Homeopatia* 1995; 60:26-31.
90. **Friese KH**, Feuchter U, Moeller H: Die homöopathische Behandlung von adenoiden Vegetationen - Ergebnisse einer prospektiven, randomisierten Doppelblindstudie. *HNO* 1997; 45: 618-624.
91. **Garrett B**, Harrison PV, Stewart T, Porter I. A Trial of Homoeopathic Treatment of Leg Ulcers. *J Derm Treat* 8, 1997: 115-117
92. **Gassinger CA**, Wünstel G, Netter P. Klinische Prüfung zum Nachweis der therapeutischen Wirksamkeit des homöopathischen Arzneimittels Eupatorium perfoliatum D2 (Wasserhanf composite) bei der Diagnose "Grippaler Infekt". *Arzneim Forsch* 31,I (4), 1981: 732-736.
93. **Gaucher C**, Jeulin D, Peyrou P, Amengual C. A double blind randomized Placebo controlled study of cholera treatment with highly diluted and succussed solutions. *Brit Hom J* 83, 1994: 132-134
94. **Gauthier JE**. Essai thérapeutique comparatif de l'action de la clonidine et du Lachesis mutus dans le traitement des bouffées de chaleur de la ménopause. Université de Bordeaux II, Unité d'Enseignement et de Recherches des Sciences pharmaceutiques, 1983, Dissertation
95. **Geiger G**. Klinische Erfahrungen mit Traumeel bei Weichteilkontusionen und Frakturen und mit Vertigoheel bei der Commotio cerebri acuta. *Med Welt* (18), 1968: 1203-1204
96. **Gerhard I**, Monga R, Roebrick P, Runnebaum B. Homöopathie versus konventionelle Therapie bei weiblicher Unfruchtbarkeit: Zwischenbericht einer randomisierten Studie. *Forsch Komplementärmed* 4(5), 1997: 262-269
97. **Gerhard I**, Reimers G, Keller C, Schmück M. Weibliche Fertilitätsstörungen - Vergleich homöopathischer Einzelmittel mit konventioneller Hormontherapie. *Tpk* 7(7/8), 1993: 309-315
98. **Gibson J**, Haslam Y, Laurenson L, Newman P, Pitt R, Robins M. Double Blind Trial of Arnica in Acute Trauma Patients. *Hom Res Group Comm* (21), 1991: 34-41.
99. **Gibson RG**, Gibson SL, MacNeill AD, Buchanan WW. Homoeopathic Therapy in Rheumatoid Arthritis - Evaluation by Double-blind Clinical Therapeutic Trial. *Brit J Clin Pharmacol* 9, 1980: 453-459.
100. **Gibson RG**, Gibson SL, MacNeill AD, Gray GH, Dick CW, Buchanan WW. Salicylates and Homoeopathy in Rheumatoid Arthritis - Preliminary observations. *Brit J Clin Pharmacol* 6, 1978: 391-395
101. **Gibson RG**, Gibson SLM, MacNeill AD, Buchanan WW. The place for nonpharmaceutical therapy in chronic rheumatoid arthritis - A critical study of homoeopathy. *Brit Hom J* 69, 1980: 121-133
102. **Gmünder R**, Kissling R. Die Wirkung von klassischer Homöopathie im Vergleich mit standardisierter Physiotherapie bei der Behandlung von chronischen Kreuzschmerzen. *Z Orthop Grenzgeb* 140, 2002: 503-508
103. **GRECHO** (Groupe de recherches et d'essais cliniques en homéopathie) Evaluation de deux produits homéopathiques sur la reprise du transit après chirurgie digestive - Un essai contrôlé multicentrique. *Presse Médicale* 18(2), 1989: 59-62
104. **Guillemain J**, Jesseigne MG, Pariente J, Renaud D, Alleaume B, Tétau M. Homéopathie, tentative d'essai clinique en double aveugle dans une épreuve sportive - Le Paris - Dakar. *Cahiers de Biothérapie* 20(78), 1983: 35-40.
105. **Hadjicostas C**, Paizis A, Drossou P, Papaconstantinou G, Diamantidis S. Comparative Clinical Study of Homoeopathic and Allopathic Treatment of Haemorrhage of the Upper Digestive Tract. *Proceedings of the Congress of the Liga Medicorum Homoeopathica Internationalis* 1988; 43:536-541.
106. **Hardy J**. A double blind, Placebo controlled trial of house dust potencies in the treatment of house dust allergy. *Brit Hom Res Group Communications* 11, 1984: 75-76
107. **Hariveau E**, Albertini C, Rufi M. Comparaison de Lithium Microsol® à Lorazepam dans les manifestations anxioléptiques réactionnelles de l'adulte. *Homéopathie française* 1991 ; 79(2): 59-62.
108. **Hariveau E**. Comparaison de cocculine au Placebo et à un produit de référence dans le traitement de la naupathie. *Homéopathie française* 80(2), 1992: 17-20
109. **Hariveau E**. Expérimentation en double insu chez 200 malades de l'efficacité d'un thérapeutique homéopathique In: L.M.H.I. (ed.) : 40e Congrès de la Ligue Médicale Homéopathique Internationale, Lyon, France, 26-30 Mai, 1985. Lyon: No publisher, 1985: 207-208
110. **Hariveau E**. recherche clinique à l'Institut Boiron. *Homéopathie* 4, 1987 : 55-58.
111. **Harrison H**, Fixsen A, Vickers A. A randomized comparison of homoeopathic and standard care for the treatment of glue ear in children. *Complem Ther Med* 7(3), 1999: 132-135
112. **Hart O**, Mullee MA, Lewith G, Miller J. Double-blind, Placebo-controlled, randomized clinical trial of homoeopathic

- arnica C30 for pain and infection after total abdominal hysterectomy. *J Royal Soc Med* 90, 1997: 73-78
113. Häussler S, Wiesenauer M. Die Behandlung der Pollinosis mit Galphimia glauca. *Therapiewoche* 32; 1982: 2506-2508.
114. Heidbreder D, Gerster G, Gracza E. Sinusitis - Klinische Prüfung verschiedener homöopathischer Medikamente in unterschiedlichen Potenzen. *tpk* 2(12), 1988: 701-706
115. Heilmann A. A combination injection preparation as a prophylactic for flu and common colds. *Biologische Therapie* 1994; 7:249-253.
116. Heilmann A. Ein injizierbares Kombinationspräparat (Engystol N) als Prophylaktikum des grippalen Infektes. *BM* 21, 1992: 225-229
117. Heine H. Homöopathische Behandlung von Vertigo verschiedener Genese - Anmerkungen zu einer randomisierten doppelblinden klinischen Studie. *Laryng Rhinol Otol* 77(9), 1998: 1-4
118. Heulluy B. Essai randomisé ouvert de L 72 (specialité homéopathique) contre diazépam 2 dans les états anxiodépressifs. *Laboratoires Lehning*: Metz 1985.
119. Hildebrandt G, Eltze C. Über die Wirksamkeit verschiedener Dosen und Potenzen (Verdünnungen) von Rhus toxicodendron beim experimentell ausgelösten Muskelkater - Weitere Beiträge zu einer Pharmakologie adaptiver Prozesse (II. Mitteilung). *EHK* 32(11), 1983: 744-750.
120. Hildebrandt G, Eltze C. Über die Wirksamkeit verschiedener Potenzen (Verdünnungen) von Arnica beim experimentell erzeugten Muskelkater – weitere Beiträge zu einer Pharmakologie adaptiver Prozesse - III. Mitteilung. *EHK* 33(7), 1984: 430-435.
121. Hill N, Stam C, Tuinder S, van Haselen RA. A Placebo controlled clinical trial investigating the efficacy of a homeopathic after-bite gel in reducing mosquito bite induced erythema. *Eur J Clin Pharmacol* 49, 1995: 103-108
122. Hill N, Stam C, van Haselen RA. The efficacy of Prrrikweg gel in the treatment of insect bites - A double-blind, Placebo controlled trial. *Pharm World Sci* 18, 1996: 35-41
123. Hill N, van Haselen RA. Clinical trial of a homoeopathic insect after-bite treatment. *HomInt R&D Newsletter* 3/4, 1993: 4-5
124. Hitzenberger G, Korn A, Dorsci M, Bauer P, Wohlzogen FX. Kontrollierte randomisierte doppelblinde Studie zum Vergleich einer Behandlung von Patienten mit essentieller Hypertonie mit homöopathischen und pharmakologisch wirksamen Medikamenten. *Wien Klin Wschr* 94(21), 1982: 665-670
125. Hofmeyr GJ, Piccioni V, Blauhof P. Postpartum homoeopathic Arnica montana: A potency-finding pilot study. *Brit J Clin Pract* 44, 1990: 619-621
126. Holwell D. A double blind randomised controlled trial evaluating the homoeopathic remedy arnica montana for the management of perineal pain after childbirth - Report of a pilot study. Surrey, 1992-93, unpublished
127. Hourst P. Tentative d'appréciation de efficacité de l'homéopathie. Université Pierre et Marie Curie; 1981.
128. Hunin M, Tisserand G, Dorfman P, Tétau M. Intérêt de la thymuline dans le traitement préventif des pathologies ORL récidivantes de l'enfant. *Schweiz Z Ganzheitsmed* 6, 1991: 298-304
129. Ives G. A Double Blind Pilot Study of Arnica in Dental Extraction. *Midlands Hom Res Group Communications* 11, 1985: 71-76.
130. Ives G. A Double Blind Pilot Study of Arnica in Dental Extraction. *Midlands Homoeopathy Research Group Communications* 1984; 11: 71-72.
131. Jacobs J, Jimenez LM, Gloyd SS, Gale JL, Crothers D. Treatment of acute childhood diarrhea with homoeopathic medicine - A randomized clinical trial in Nicaragua.. *Pediatrics* 93(5), 1994: 719-725.
132. Jacobs J, Jiménez LM, Malthouse S, Chapman E, Crothers D, Masuk M, Jonas WB. Homeopathic Treatment of Acute Childhood Diarrhea - Results from a Clinical Trial in Nepal. *J Alternat Complement Med* 6(2), 2000: 131-139
133. Jacobs J, Jiminez LM, Gloyd S, Carares FE, Gaitan MP, Crothers D. Homoeopathic treatment of acute childhood diarrhoea - A randomized clinical trial in Nicaragua. *Brit Hom J* 82(2), 1993: 83-86
134. Jacobs J, Springer DA, Crothers D. Homeopathic treatment of acute otitis media in children - A preliminary randomized Placebo-controlled trial. *Pediatr Infect Dis J* 20(2), 2001: 177-183
135. Janssen G, Veer A, Hagenaars J, Juy A. Lessons learnt from an unsuccessful clinical trial of homoeopathy - Results of a small-scale, double-blind trial in proctocolitis. *Brit Hom J* 81, 1992: 132-138
136. Jawara N, Lewith GT, Vickers AJ, Mullee MA, Smith C. Homoeopathic arnica and rhus toxicodendron for delayed onset muscle soreness - A pilot for a randomized, double-blind, Placebo-controlled trial. *Brit Hom J* 86(1), 1997: 10-15.
137. Jeffrey SLA, Belcher HJCR. Use of Arnica to Relieve Pain After Carpal-Tunnel
138. Release. *Surgery Alternat Ther Health Med* 8(2), 2002: 66-68
139. Jenaer M, Marichal B. L'immunothérapie homéopathique du SIDA, *Revue Belge d'Homoeopathie* 1989 ; 41(1): 43-49.
140. Jork K. Studie: Homöopathikum so wirksam wie Allopathikum - Leichte bis mittelschwere saisonale Rhinitis. *Allergo J* 1, 1998: pp. unknown
141. Kainz JT, Kozel G, Haidvogl M, Smolle J. Homoeopathic versus Placebo therapy of children with warts on the hands - A randomized, double-blind clinical trial. *J Derm* 193, 1996: 318-320
142. Kaziro GSN. Metronidazole (Flagyl) and Arnica montana the prevention of postsurgical complications, a comparative Placebo-controlled clinical trial. *Brit J Oral Maxill Surg* 22, 1984: 42-49.
143. Kennedy CO. A controlled trial. *Brit Hom J* 60, 1971: 120-127
144. Khan MT, Rawal RS. Comparative treatments of verruca plantaris. In: L.M.H.I. (ed.) : 31e Congres de la Ligue Médicale Homéopathique Internationale, Athens, Greece, 17.05.-22.05.1976. Athen: No publisher, 1976: 265-276
145. Khan MT. Clinical trials for Hallux valgus with the marigold preparations. In: L.M.H.I. (ed.) : 40e Congres de la Ligue Médicale Homéopathique Internationale, Lyon, France, 26-30 Mai, 1985. Lyon: No publisher, 1985: 232-235
146. Khan MT. Report of the clincial trials for Tagetes erecta sp. (Marigold) in the treatment of Hallux valgus (bunions).

Homeo - Chiropodist 2, 1986: 4-23

147. **Kienle GS.** Wirkung von Carbo Betulae D6 bei respiratorischer Partialinsuffizienz. Arzneim Forsch 23(6), 1973: 840-842

148. **Kirchhoff HW.** Ein klinischer Beitrag zur Behandlung des Lymphödems. Der Praktische Arzt 21, 1982: 621-633.

149. **Köhler T.** Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthritis - Eine randomisierte Doppelblindstudie bei niedergelassenen Ärzten. Kassenarzt 13(13), 1991: 48-52.

150. **Kosian K.** Der Stellenwert der Vorbereitungsmethoden in der Geburtshilfe. Allgemeine Homöopathische Zeitung 1993; 238: 242-247.

151. **Kruse S.** Otitis media bei Kindern. Hippokrates: Stuttgart 1998.

152. **Kubista E,** Müller G, Spona J. Behandlung der Mastopathie mit zyklischer Mastodynies: klinische Ergebnisse und Hormonprofile. Gyn Rundschau 26, 1986: 65-79

153. **Kulkarni A,** Nagarkar BM, Burde GS. Radiation protection by use of homoeopathic medicines. Hahnemann Hom Sand 12(1), 1988: 20-23

154. **Kumar A,** Mishra N. Effect of homeopathic treatment of filariasis. A single-blind 69-months follow-up study in an endemic village in Orissa. Br Homeop J. 1994; 83:216-219.

155. **Kumta PS.** Effectiveness of homoeopathic medicines in epidemic acute viral conjunctivitis. Hahnemann Gleanings 44, 1977: 274-276

156. **Kurz C,** Nagele F, Zorzi M, Karras H, Enzelsberger H. Bewirkt Homöopathie eine Verbesserung der Reizblasensymptomatik? Gyn Geburtshilfliche Rundsch 33(suppl 1), 1993: 330-331

157. **Küstermann RW,** Weiser M, Klein P. Antihomotoxic treatment of conjunctivitis. Results of a prospective, controlled, cohort study. Biologische Medizin 2001; 3.

158. **Kuzeff RM.** Homeopathy, sensation of well-being and CD4-levels - A Placebocontrolled, randomized trial. Complem Ther Med 6(1), 1998: 4-9

159. **Labrecque M,** Audet D, Latulippe L, Droin J. Homeopathic treatment of plantar warts. Can Med Assoc J 146(10), 1992: 1749-1753

160. **Lai G.** Homotoxicological treatment of female functional infertility: clinical trial. La Medicina Biologica 2000; 4:81-86.

161. **Lamont J.** Homoeopathic Treatment of Attention Deficit Hyperactivity Disorder - A Controlled Study. Brit Hom J 86(4), 1997: 196-200

162. **Lara-Marquez ML,** Pocino M, Rodriguez F, Carvallo GE, Ortega CF, Rodriguez C. Homeopathic treatment for a topic asthma lung function and immunological outcomes in a randomized clinical trial in Venezuela. In: L.M.H.I. (ed.) : 52e Congres de la Ligue Médicale Homéopathique Internationale, 28.5.-1.7. 1997. No publisher, 1997: 73

163. **Leaman AM,** Gorman D. Cantharis in the Early Treatment of Minor Burns. Arch Emergency Med 6, 1989: 259-261

164. **Lecocq PL.** Les voies thérapeutiques des syndromes grippaux. Cahiers de Biotherapie 87, 1985: 65-73

165. **Lecoyte T,** Owen D, Shepherd H, Letchworth A, Mullee M. An investigation into the homeopathic treatment of patients with irritable bowel syndrome. In: L.M.H.I. (ed.) : 48e Congres de la Ligue Médicale Homéopathique Internationale, Wien, Österreich, 1993. Wien: No publisher, 1993: 251-258.

166. **Lepaisant C.** Essai thérapeutique en homéopathie: traitement des tensions mammaires et mastodynies du syndrome prémenstruel. Rev Fr Gynécol Obstét 90(2), 1995: 94-97

167. **Lewis D.** Double blind controlled trial in the treatment of whooping cough using drosera. Research Newsletter of the Midlands Hom Res Group 1(1), 1984: 49-58

168. **Lewith G,** Watkins AD, Hyland ME ??. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite double blind randomized controlled clinical trial. Br Med J 2002; 324:520-523.

169. **Lewith GT,** Brown PK, Tyrell DA. Controlled Study of the Effects of a Homoeopathic Dilution of Influenza Vaccine on Antibody Titres in Man Complem Med Res 3(3), 1989: 22-24

170. **Lewith GT,** Watkins AD, Hyland ME, Shaw S, Broomfield JA, Dolan G, Holgate ST. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite: double blind randomised controlled clinical trial BMJ 324, 2002: 520-523

171. **Lievre M,** Marichy J, Baux S, Foyatier JL, Perrot J, Boissel JP. Controlled study of three ointments for the local management of 2nd and 3rd degree burns. Clin Trials Meta-Analysis 28, 1992: 9-12

172. **Livingston R.** Homeopathy, Evergreen Medicine. Asher: Poole 1991.

173. **Lokken P,** Straumsheim PA, Tveiten D, Skjelbred P, Borchgrevink CF. Effect of homoeopathy on pain and other events after acute trauma: Placebo controlled trial with bilateral oral surgery. BMJ 310, 1995: 1439-1442

174. **Macchi C.** l'omeopatia nell' ipertensione arteriosa essenziale del paziente anziano. Cahiers de Biothérapie 1984 ; 81(suppl.): 83-86.

175. **Maiwald L,** Weinfurtner T, Mau J, Connert WD. Therapie des grippalen Infekts mit einem homöopathischen Kombinationspräparat im Vergleich zu Acetylsalicylsäure - Kontrollierte, randomisierte Einfachblindstudie. Arzneim Forsch 38,I (4), 1988: 578-582.

176. **Manchanda RK,** Mehan N, Bahl R, Atey R. Double Blind Placebo Controlled Clinical Trials of Homoeopathic Medicines in Warts and Molluscum Contagiosum. Central Council for Research in Homoeopathy Quarterly Bulletin 1997; 19: 25-29.

177. **Maronna U,** Weiser M, Klein P. Orale Behandlung der Gonarthrose mit Zeel comp. - Ergebnisse einer doppelblinden Äquivalenzstudie versus Diclofenac. Orthopäd Prax 36(5), 2000: 285-291

178. **Martel JF,** Hariveau E. Étude clinique d'une pâte gingivodentaire homéopathique dans les gingivites. Le Chirurgien dentiste de France 1985; 55: 39-40.

179. **Masciello E,** Felisi E. Dilutions de matériel, à pourcentage élevé de ADN et ARN, dans le présentation de viroses épidémique. In: L.M.H.I. (ed.) : 40e Congres de la Ligue Médicale Homéopathique Internationale, Lyon, France, 26-30 Mai,

1985. Lyon: No publisher, 1985: 271-274

180. **Master FJ.** A Study of Homoeopathic Drugs in Essential Hypertension. *Brit Hom J* 76(3), 1987: 120-121

181. **Master FJ.** Scope of homoeopathic drugs in the treatment of Broca's aphasia. In: LMHI (ed.): 42nd Congress of the International Homeopathic Medical League, 29 March - 2 April, 1987, Arlington, Virginia, USA. Arlington: No publisher, 1987: 330-334.
182. **Mastromattei F.** Mamme sprint con l'omeopatia. *Medicina naturale* 1995; 3: 62- 64.
183. **Matusiewicz R.** Wasniewski J, Sterna-Bazanska A, Hülsberg M. Behandlung des chronischen Asthma bronchiale mit einem homöopathischen Komplexmittel. *EHK* 48(6), 1999: 367-374
184. **Matusiewicz R.** The homeopathic treatment of corticosteroid-dependent asthma: a double-blind, Placebo-controlled study. *Biomed Ther* 1997; 4:117-122.
185. **Matusiewicz R.** Traumeel S in der Behandlung von kortikoidabhängigen Bronchialasthma. *Biologische Medizin* 1996; 25:107-112.
186. **Matusiewicz R.** Wirksamkeit von Engystol N bei Bronchialasthma unter kortikoidabhängiger Therapie. *BM* 24, 1995: 242-246.
187. **Mayaux MJ.** Guihard-Moscato ML, Schwartz D, Benveniste J, Coquin Y, Crapanne JB, Poitevin B, Rodary M, Chevrel JP, Mollet M. Controlled Clinical Trial of Homoeopathy in Postoperative Ileus. *Lancet* II,1, 1988: 528-529.
188. **McCutcheon LE.** Treatment of anxiety with a homeopathic remedy. *J Appl Nutrition* 48(1-2), 1996: 2-6
189. **McDavid GM.** The homoeopathic treatment of acne. Thesis, Durban Technikon Natal 1994.
190. **Mergen H.** Therapie posttraumatischer Schwellungen mit Traumeel - Beitrag zur Relation "Dosis : Wirkung" eines Kombinationspräparates. *MMW Fortschr Med* 111(6), 1969: 298-300
191. **Mesquita LP.** Homoeopathy and physiotherapy, with special reference to osteoarthropathy. *Brit Hom J* 76, 1987: 16-18
192. **Michaud J.** Action d'apis mellefica et d'Arnica montana dans la prévention des oedèmes post-opératoires en chirurgie maxillo-faciale à propos d'une expérimentation clinique sur 60 observations. Université de Nantes, U.E.R. de Médecine et Techniques Médicales, 1981, Dissertation
193. **Mokkapatti R.** An experimental double-blind study to evaluate the use of Euphrasia in preventing conjunctivitis. *Brit Hom J* 81, 1992: 22-24
194. **Mössinger P.** Homöopathie und naturwissenschaftliche Medizin – zur Überwindung der Gegensätze. Stuttgart: Hippokrates, 1984: 1-200
195. **Mössinger P.** Homöopathische Therapie fiebigerhafter und fiebigerloser Pharyngitiden - Doppelblindversuch zur Feststellung der therapeutischen Wirksamkeit eines homöopathischen Medikamentes. *Dt Ärztebl* 14, 1977: 947-950
196. **Mössinger P.** Mislungene Wirksamkeitsnachweise. *AHZ* 1976: 1:26-31.
197. **Mössinger P.** Untersuchung über die Behandlung der akuten Pharyngitis mit Phytolacca D 2. *AHZ* 221, 1976: 177-183
198. **Mössinger P.** Untersuchung über die Behandlung der akuten Pharyngitis mit Phytolacca D 2. *EHK* 26(1), 1977: 20-23
199. **Mössinger P.** Untersuchung zur Behandlung des akuten Fließschnupfens mit Euphorbium D3. *AHZ* 227(3), 1982: 89-95
200. **Mössinger P.** Zur Behandlung der Otitis media mit Pulsatilla. *Kinderarzt* 16(4), 1985: 581-582
201. **Mössinger P.** Zur therapeutischen Wirksamkeit von Absinthium bei der Cholezystopathie. In: Mössinger, P. (ed.): Der praktische Arzt als Fachmann für Erfahrung und Beobachtung. Heidelberg: Haug, 1974: 99-101
202. **Mössinger P.** Zur therapeutischen Wirksamkeit von Hepar sulfuris calcareum D4 bei Pyodermien und Furunkeln. *AHZ* 225(1), 1980: 22-28
203. **Nahler G.** Metelmann H, Sperber H. Behandlung der Gonarthrose mit Zeel comp - Ergebnisse einer randomisierten, kontrollierten klinischen Prüfung im Vergleich zu Hyaluronsäure. *Orthopäd Prax* 32(5), 1996: 354-359.
204. **Niederle S.** Akute, streptokokken-negative Tonsillitis bei Kindern – Eine doppelblinde Placebokontrollierte Studie belegt die Wirksamkeit und Verträglichkeit der homöopathischen Therapie. *Kassenarzt* 21, 2001: 33-34
205. **Nollevaux MA.** Klinische Studie van Mucococcinum 200 K als preventieve behandeling van griepachtige aandoeningen: een dubbelblinde test tegenover Placebo. 1994 unpublished
206. **Nusche M.** Homöopathie oder Penicillin bei Mandelentzündung. Hippokrates: Stuttgart 1998.
207. **Oberbaum M.** Yaniv I, Ben-Gal Y, Stein J, Ben-Zvi N, Freedman LS, Branski D. A randomized, controlled clinical trial of the homeopathic medication TRAUMEEL S in the treatment of chemotherapy-induced stomatitis in children undergoing stem cell transplantation. *Cancer* 92(3), 2001: 684-690
208. **Ochoa-Bernal F.** Ruiz-Hernández A, Searcy Bernal R. Disminución de la Tension Arterial Elevada con LACHESIS MUTA 200 cH. en el Servicio de Urgencias del Hospital Nacional Homeopático. *Boletín Mexicano de Homeopatía* 1995; 28(2): 48-53.
209. **Owen D.** An Investigation into the Homoeopathic Treatment of Patients with Irritable Bowel Syndrome. Congress of the Faculty of Homoeopathy Windermere 1990.
210. **Padamprakash B.** The Efficacy of TUBERCULINUM BOVINUM In Urinary Tract Infections. Proceedings of the 34th Congress of the Liga Medicorum Homoeopathica Internationalis (LMHI) 1979, 331-336.
211. **Pallasser H.** Die Beeinflussbarkeit des Icterus neonatorum durch Phosphorus C30. *Documenta Homoeopathica* 1994; 14: 299-303.
212. **Papp R.** Schuback G, Beck E, Burkard G, Bengel J, Lehrl S. Belon P. Oscillococcinum in patients with influenza-like syndroms: A Placebo controlled double-blind evaluation. *Brit Hom J* 87(2), 1998: 69-76
213. **Paterson J.** Report on Mustard Gas Experiments - (Glasgow and London). *Brit Hom J* 23, 1943: 1-12
214. **Pinsent R.** Baker G, Ives G, Davey RW, Jonas S. Does Arnica reduce pain and bleeding after dental extraction? *Brit Hom Res Group Communications* 15, 1986: 3-11

215. **Ponti M.** Evaluation d'un traitement homéopathique du mal des transports - Bilan de 93 observations. In: Boiron, J, Belon, P, Hariveau, E. (Hrsg.): Recherches en homéopathie. Lyon: Fondation Francaise pour la Recherche en Homéopathie, 1986: 71-74
216. **Rahlfs VW**, Mössinger P. Asa foetida bei Colon irritable - Doppelblindversuch. DMW 104, 1979: 140-143.
217. **Rahlfs VW**, Mössinger P. Zur Behandlung des Colon irritable – Ein multizentrischer placebo-kontrollierter Doppelblindversuch in der Allgemeinen Praxis. Arzneim Forsch 26(12), 1976: 2230-2234
218. **Ramelet AA.** Homoeopathic Arnica in postoperative haematomas - A double-blind study. Dermatology 201, 2000: 347-348
219. **Rastogi DP**, Singh VP, Dey SK ,Rao K. Double blind Placebo controlled clinical trial of homoeopathic medicines in HIV infection. Brit Hom J 87(2), 1998: 86-88
220. **Rauch F.** Ist die Nickelallergie mit homöopathisch potenziertem Nickel behandelbar? Albert-Ludwigs-Universität Freiburg: 1994: 1-73, Dissertation
221. **Rauscher CC**, Pusch D, Orth-Wagner S. Behandlung von Helicobacter-pylori-Infektionen mit einem Immunmodulator. ÄN 42(5), 2001: 341-368
222. **Reilly DT**, Taylor MA, Beattie NGM, Campbell JH. Is evidence for homoeopathy reproducible? Lancet 344, 1994: 1601-1606.
223. **Reilly DT**, Taylor MA, McSharry C, Aitchison T. Is Homoeopathy a Placebo Response? - Controlled Trial of Homoeopathic Potency - With Pollen in Hayfever as Model. Lancet II.2, 1986: 881-886
224. **Reilly DT**, Taylor MA. Potent Placebo or Potency? - A Proposed Study Model with Initial Findings Using Homoeopathically Prepared Pollens in Hayfever. Brit Hom J 74(2), 1985: 65-75
225. **Reitzner TB.** Explorative Studie über die Wirksamkeit von Arnica in den homöopathischen Dezimalpotenzen D2, D3, D4, D5, D6 und D8 beim experimentell ausgelösten Muskelkater. Thesis, Phillipss-Universität Marburg 1985.
226. **Ribot Florit J.** Effects of Arnica comp.-Heel ® on post-extraction pain, inflammation and bleeding. Medicina Biologica 2001; 1.
227. **Riley D**, Fisher M, Sigh B, Haidvogl M, Heger M. Homeopathy and Conventional Medicine: an outcome study comparing effectiveness in a primary care setting. J Alternat Complement Medicine 2001; 7(2) 149-153.
228. **Rios Varela JM**, Calderón Rodriguez M, Torres Diaz JH, Corrales Diaz Ó, Vega Palau M, Fernández Argüelles R. Terapéutica homeopática en la Queratoconjuntivitis Epidémica. La Homeopatía de México 1995; 64(574): 2-9.
229. **Ritter H.** Ein homöotherapeutischer doppelter Blindversuch und seine Problematik. Hippokrates 37(12), 1966: 472-476.
230. **Riveron-Garrote M**, Fernandez-Argüelles R, Morón-Rodriguez F, Campistrou-Labaut JL. Ensayo clínico controlado aleatorizado del tratamiento homeopático del asma bronquial. Boletín Mexicano de Homeopatía 1998; 31(2): 54-61.
231. **Rottey EE**. Verleye GB, Liagre R. Het effect van een homeopathische bereiding van micro-organismen bij de preventie van griepsymptomen. Een gerandomiseerd dubbel-blind onderzoek in de huisartspraktijk. Tijdschr Integ Geneeskunde 1995; 11:54-58.
232. **Ruff F.** Homeopathische repliek op de stuifmeeltijd. Arts en Alternatief 1992; 6: 9-10.
233. **Santos U**, König P. Homöopathie und Psychotherapie - Selbsterfahrung und Arzneierfahrung anhand von Träumen unter "Berberis". In: Appell, R.G. (Hrsg.): Homöopathie 150 Jahre nach Hahnemann. Heidelberg: Haug, 1994: 259-295
234. **Saruggia M**, Corghi E. Effects of homoeopathic dilutions of china rubra on intradialytic symptomatology in patients treated with chronic haemodialysis. Brit Hom J 81, 1992: 86-88
235. **Saruggia M.** Influenza and viral respiratory infections. Medicina Naturale 1994; 6.
236. **Saruggia M.** The preventive effect of Oscilloccoccinum in influenza-like syndromes. Results of a multicentric study. Medicina Naturale 1995; 6.
237. **Savage RH**, Roe PF. A Double Blind Trial to Assess the Benefit of Arnica Montana in Acute Stroke Illness. Brit Hom J 66, 1977: 207-220.
238. **Savage RH**, Roe PF. A Further Double-blind Trial to Assess the Benefit of Arnica montana in Acute Stroke Illness. Brit Hom J 67, 1978: 210-222.
239. **Schmidt C.** A double-blind, Placebo-controlled trial - Arnica montana applied topically to subcutaneous mechanical injuries. J Am Inst Hom 89(4), 1996: 186- 193
240. **Schmidt C.** A double-blind, Placebo-controlled trial: Arnica montana applied topically to subcutaneous mechanical injuries. J Am Inst Homeopath 1996; 89:186-193.
241. **Schmidt JM**, Ostermayr B. Does a homeopathic ultramolecular dilution of Thyroidinum 30cH affect the rate of body weight reduction in fasting patients? – A randomised Placebo-controlled double-blind trial. Homeopathy 91(4), 2002: 197-206
242. **Schmidt W.** Zur Therapie der chronischen Bronchitis – Randomisierte Doppelblindstudie mit Asthmaheel. Therapiewoche 37(29), 1987: 2803-2809.
243. **Schreier T**, Hartmann M, Petzoldt D, Monga B, Roebruck P, Runnebaum B, Gerhard I. Homöopathie versus konventionelle Therapie bei männlicher Unfruchtbarkeit - Zwischenbericht einer randomisierten Studie. Forsch Komplementärmed 6(4), 1997: 325-331
244. **Schwab G.** Läßt sich eine Wirkung homöopathischer Hochpotenzen nachweisen? - Eine kontrollierte Cross-over Doppelblindstudie bei Hautkrankheiten. Karlsruhe: DHU, 1990: 1-64, Dissertation.
245. **Shealy C**, Thominson RP, Cox RH, Borgmeyer V. Osteoarthritic Pain – A Comparison of Homeopathy and Acetaminophen. AJPM 8(3), 1998: 89-91.
246. **Shipley M**, Berry H, Broster G, Jenkins M, Clover A, Williams I. Controlled Trial of Homoeopathic Treatment of Osteoarthritis. Lancet I,1 (Jan.15), 1983: 97-98.
247. **Siebenwirth J.** A randomized, Placebo controlled, double-blind study testing the effectiveness of classical homeopathic therapy of atopic dermatitis (AD). In: Walach, H. et al. (eds.): Future directions and current issues of research in homeopathy,

Proceedings, Freiburg, January 2002. Freiburg: Samueli Institute for Information Biology, 2002: 79-90

248. **Siebenwirth J.** Wirksamkeit klassisch-homöopathischer Therapie bei Neurodermitis constitutionalis atopica In: Albrecht, H, Frühwald, M. (Hrsg.): Jahrbuch der Karl und Veronica Carstens-Stiftung, Band 2 (1995). Stuttgart: Hippokrates, 1996: 123-138

249. **Simpson JJ**, Donaldson I, Davies WE. Use of homeopathy in the treatment of tinnitus. British Journal of Audiology 1998; 32: 227-233.
250. **Skaliotas S**, Hatzikostas H, Lamropoulou N, Othonos A, Diamantidis S. Comparative clinical study of homoeopathic and allopathic treatment in diabetes mellitus type II. In: LMHI (ed.) : 43rd Congress of the International Homeopathic Medical League, 1988, Athens, Greece. Athen: No publisher, 1988: 549-556
251. **Smith SA**, Baker AE, Williams JH. Effective treatment of seborrhoeic dermatitis using a low dose, oral homeopathic medication consisting of potassium bromide, nickel sulfate, and sodium chloride in a double-blind, Placebo-controlled study. Altern Med Rev 7(1), 2002: 59-67
252. **Solanki M**, Gandhi PM. Is homoeopathy only a Placebo therapy? Hom Heritage 20, 1995: 707-713
253. **Sommer RG**. Doppelblind-Design mit Arnica bei Muskelkater. tpk 1, 1987: 16
254. **Stanton HE**. Test and anxiety - A five-drop solution. Educ News 1981; 17:12-15.
255. **Stam C**, Bonnet MS, van Haselen RA. The efficacy and safety of a homeopathic gel in the treatment of acute low back pain - A multi-centre, randomised, doubleblind comparative clinical trial. Brit Hom J 90(1), 2001: 21-28
256. **Stevinson C**, Devaraj VS, Fountain-Barber A. Homeopathic arnica for prevention of pain and bruising: randomized Placebo-controlled trial in hand surgery. J R Soc Med 96, 2003: 60-65
257. **Stippig SG**. Atemwegserkrankungen bei Kindern - Homöopathische und konventionelle Behandlung gleich gut. Allgemeinarzt 18(9), 1996: 931-936
258. **Straumsheim PA**, Borchgrevink CF, Mowinckel P, Kierulf H, Hafslund O. Homeopatisk behandling av migrene - En dobbelt-blind, Placebokontrollert studie av 68 pasienter. Dynamis 2, 1997: 18-22
259. **Strösser W**, Weiser M. Lebensqualität bei Patienten mit Schwindel - Homöopathikum im Doppelblind-Vergleich. BM 29(5), 2000: 242-247
260. **Strösser W**, Weiser M. Patienten mit Gonarthrose gewinnen ihre Mobilität zurück - Homöopathikum im Doppelblind-Vergleich. BM 29(6), 2000: 295-299
261. **Stukalova EN**. Efficacy of homotoxicological treatment in early toxæmia of pregnancy. Biologische Therapie (Ukrainian edition) 2000; 4
262. **Subramanyam VR**, Mishra N, Rai Y, Rakshit G, Pattnaik NM. Homoeopathic Treatment of Filariasis - Experience in an Indian Rural Setting. Brit Hom J 79, 1990: 157-160
263. **Suri JC**, Pusch D, Orth-Wagner S. Wirksamkeit eines natürlichen Immunmodulators in der Behandlung von Asthma bronchiale. ÄN 43(9), 2002: 594-600
264. **Sutherland M**. Report on the Controlled Trial - Homoeopathy in Surgical Tuberculosis. Brit Hom J 44, 1954: 88-96
265. **Taylor MA**, Reilly D, Llewellyn-Jones RH, McSharry C, Aitchison TC. Randomised controlled trials of homoeopathy versus Placebo in perennial allergic rhinitis with overview of four trial series. BMJ 321, 2000: 471-476
266. **Thiel W**, Borho B. Die Therapie von frischen, traumatischen Blutergüssen der Kniegelenke (Hämarthrose) mit Traumeel N Injektionslösung. BM 20, 1991: 506- 515
267. **Thompson E**, Douglas D, Reilly D. The homoeopathic consultation plus remedy vs. Placebo for menopausal symptoms in breast cancer survivors - A pilot randomised, double-blind, Placebo-controlled trial. FACT 7(1), 2002: 112
268. **Trapani G**, Legnante G. Studio preliminare sull'attività di Dolisobios 15. Medicina Naturale 1994; 4: 84-87.
269. **Tsiakopoulos I**, Labropoulou N, Hadjicostas C, Skaliotas S, Diamantidis S. Comparative Study of Homoeopathic and Allopathic Treatment of Benign Paroxysmal Positional Vertigo. In: LMHI (ed.) : 43rd Congress of the International Homeopathic Medical League, 1988, Athens, Greece. Athen: No publisher, 1988: 94-97
270. **Tveiten D**, Bruseth S, Borchgrevink CF, Norseth J. Effects of the homeopathic remedy Arnica D30 on marathon runners: A randomized, double-blind study during the 1995 Oslo Marathon. Complem Ther Med 6(2), 1998: 71-74
271. **Tveiten D**, Bruseth S, Borchgrevink CF, Lohne K. Effect of Arnica D30 on hard physical exercise - A double-blind controlled trial during the Oslo Marathon. Tidsskr Nor laegeforen 111, 1991: 3630-3631.
272. **Ustianowski PA**. A Clinical Trial of Staphysagria in Postcoital Cystitis. Brit Hom J 63, 1974: 276-277
273. **Valero EM**. Etude de l'action préventive de Raphanus sativus 7CH, sur le temps de reprise du transit intestinal post-opératoire (à propos de 80 cas) – Pyrogenium 7CH sur les infections post-opératoires (à propos de 128 cas). Université Scientifique et Médicale de Grenoble, Medecine et Pharmacie, 1981, Dissertation.
274. **van Erp VMA**, Brands M. Homoeopathic treatment of malaria in Ghana – Open study and clinical trial. Brit Hom J 85, 1996: 66-70
275. **van Haselen RA**, Fisher PAG. A randomized controlled trial comparing topical piroxicam gel with a homeopathic gel in osteoarthritis of the knee. Rheumatol 39, 2000: 714-719.
276. **Van't Riet A**, de Lange-de-Klerk ESM. An attempt to evaluate homoeotherapy in patients with constitutional eczema - A pilot-experiment at the Vrije Universiteit Amsterdam. In: L.M.H.I. (ed.) : 40e Congres de la Ligue Médicale Homéopathique Internationale, Lyon, France, 26-30 Mai, 1985. Lyon: No publisher, 1986: 422-425
277. **Ventoskovskiy BM**, Popov AV. Homoeopathy as a Practical Alternative to Traditional Obstetric Methods. Brit Hom J 79(4), 1990: 201-205
278. **Vickers AJ**, Fisher P, Smith C, Wyllie SE, Lewith GT. Homoeopathy for delayed onset muscle soreness - A randomised double blind Placebo controlled trial. Brit J Sports Med 31, 1997: 304-307.
279. **Vickers AJ**, Fisher P, Wyllie SE, Rees R. Homeopathic Arnica 30X Is Ineffective for Muscle Soreness After Long-Distance Running - A randomized, double-blind, Placebo-controlled trial. Clin J Pain 14(3), 1998: 227-231
280. **Villatoro Cadena CR**, Cuevas L. José Luis. Tratamiento del Síndrome Diarreico Agudo (SDA) con Homeopatía. La

Homeopatía de México 1991; 550: 16–25.

281. **Vu Din Sao**, Delaunay M. Médecine douce et sport dur – Un mariage heureux. Homéopathie Francaise 1987; 75 :353-355.

282. **Walach H**, Haag G, Gaus W. Klassisch-Homöopathische Therapie bei chronischen Kopfschmerzen - Eine randomisierte Doppelblindstudie. Schmerz 1995(9), 1995: 9
283. **Walach H**, Haeusler W, Lowes T, Mussbach D, Schamell U, Springer W, Stritzl G, Gaus W, Haag G. Classical homeopathic treatment of chronic headaches. Cephalgia 17, 1997: 119-126
284. **Walach H**, Lowes T, Mussbach D. The long-term effects of homeopathic treatment of chronic headaches: 1 year follow up. Cephalgia 2000; 20:835-837.
285. **Walach H**. Wissenschaftliche homöopathische Arzneimittelprüfung – Doppelblinde Crossover-Studie einer homöopathischen Hochpotenz gegen Plazebo oder Wirken homöopathische Mittel am Gesunden wie Plazebos? Heidelberg: Haug, 1990
286. **Weatherley Jones E**. A randomised, controlled trial of homeopathic treatment for chronic fatigue syndrome. FACT 7(1), 2002: 115
287. **Weinfurtner T**. Klinische Prüfung mit homöopathischem Kombinationspräparat und Acetylsalicylsäure bei grippalem Effekt. Bayerische Julius-Maximilians- Universität Würzburg, 1987, Dissertation
288. **Weiser M**, Clasen BPE. Randomisierte plazebokontrollierte Doppelblindstudie zur Untersuchung der klinischen Wirksamkeit der homöopathischen Euphorium compositum-Nasentropfen S bei chronischer Sinusitis. Forsch Komplementärmed 1994;1, 1994: 251-259
289. **Weiser M**, Gegenheimer LH, Klein P. A Randomized Equivalence Trial Comparing the Efficacy and Safety of Luffa comp.-Heel Nasal Spray with Cromolyn Sodium Spray in the Treatment of Seasonal Allergic Rhinitis. Forsch Komplementärmed 6(3), 1999: 142-148
290. **Weiser M**, Strösser W, Klein P. Homeopathic vs conventional treatment of vertigo - A randomized double-blind controlled clinical study. Arch Otolaryngol 124(8), 1998: 879-885
291. **Werk W**, Lehmann M, Galland F. Vergleichende, kontrollierte Untersuchung zur Wirkung der homöopathischen, pflanzlichen Arzneimittelzubereitung Helianthus tuberosus D1 zur adjuvanten Therapie bei Patienten mit behandlungsbedürftigem Übergewicht. Therapiewoche 44, 1994: 34-39
292. **White A**, Slade P, Hunt C, Hart A, Ernst E. Individualised homeopathy as an adjunct in the treatment of childhood asthma - A randomised Placebo controlled trial. Thorax 58(4), 2003: 317-321
293. **Whitmarsh T**, Coleston-Shields DM, Steiner TJ. Double-blind randomized Placebo-controlled study of homoeopathic prophylaxis of migraine. Cephalgia 17, 1997: 600-604
294. **Whitmarsh, T**, Coleston DM, Steiner TJ. Homoeopathic prophylaxis of migraine Cephalgia 13(13), 1993: 178
295. **Wiesenauer M**, Gaus W, Bohnacker U, Häussler S. Wirksamkeitsprüfung von homöopathischen Kombinationspräparaten bei Sinusitis - Ergebnisse einer randomisierten Doppelblindstudie unter Praxisbedingungen. Arzneim Forsch 39,I (5), 1989: 620-625
296. **Wiesenauer M**, Gaus W, Häussler S. Behandlung der Pollinosis mit Galphimia glauca - Eine Doppelblindstudie unter Praxisbedingungen. Allergol 13(10), 1990: 359-363
297. **Wiesenauer M**, Gaus W. Double-blind Trial Comparing the Effectiveness of Galphimia Potentisation D6 (Homoeopathic Preparation), Galphimia Dilution 10-6 and Placebo on Pollinosis. Arzneim Forsch 35,II(11), 1985: 1745-1747
298. **Wiesenauer M**, Gaus W. Orthostatische Dysregulation – Kontrollierter Wirkungsvergleich zwischen Etilefrin 5mg und dem homöopathischen Arzneimittel Haplopappus D2. Z Allg Med 63, 1987: 18-23
299. **Wiesenauer M**, Gaus W. Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthritis - Eine randomisierte Doppelblindstudie bei niedergelassenen Ärzten. Akt Rheumatol 16, 1991: 1-9.
300. **Wiesenauer M**, Gaus W. Wirksamkeitsvergleich verschiedener Potenzierungen des homöopathischen Arzneimittels Galphimia glauca beim Heuschnupfen- Syndrom - Eine multizentrische, kontrollierte, randomisierte Doppelblindstudie. DAZ 126(40), 1986: 2179-2185
301. **Wiesenauer M**, Häussler S, Gaus W. Pollinosis-Therapie mit Galphimia glauca. MMW Fortschr Med 101(17), 1983: 811-814
302. **Wiesenauer M**, Lüdtke R. The treatment of pollinosis with Galphimia glauca D4 - A randomized Placebo-controlled double-blind clinical trial. Phytomed 2(1), 1995: 3-6
303. **Wiesenauer M**. Doppelblindstudie zum Wirkungsvergleich einer Galphimia- Lösung (10-6) und einer Galphimia-Potenz (D6). AHZ 229, 1984: 233-234
304. **Wiesenauer M**. Naturheilverfahren in der Allgemeinmedizin. In: 10 Jahre Karl und Veronica Carstens-Stiftung, Essen: Eigenverlag 1992: 142-147.
305. **Wilkens J**, Lüdtke R. Arnica 30x after knee surgery, Brit Hom J 89(suppl. 1), 2000: S. s72, Abstract
306. **Wilkens J**. Arnica D30 in der Wundheilung - Ein Wirksamkeitsnachweis und sein wissenschaftliches Umfeld. Essen: KVC, 2003 (edition forschung)
307. **Williams H**. The effect of oral Variolinum in Subsequent Primary Vaccination. J Am Inst Hom 59, 1966: 304-305
308. **Wittmann G**, Gerhard I, Runnebaum B. Wirksamkeit eines Arzneimittels auf Basis pflanzlicher Extrakte - Mastodyn-NR bei weiblicher Infertilität. Arch Gynecol Obstet 1993. 254: 158-160.
309. **Wolf J**. Schlafstörungen ohne Hang-over behandeln - Ergebnisse einer klinischen Studie mit einem pflanzlich-homöopathischen Mittel. NaturaMed 7(9), 1992: 586- 589
310. **Wolf M**, Lüdtke R, Rose O. Adjutante Arnica-Medikation zur schwellungs- und schmerzreduzierenden Wirkung bei operativ versorgten hüftgelenksnahen Frakturen – Kontrollierte, nicht randomisierte Therapiestudie. Allgem Hom Ztg 2002;

ECH GENERAL ASSEMBLY – XVIII Symposium of GIRI
12 to 14th of November 2004
Scientific Report

29

247(4): 141-145.

311. **Wolschner U**, Strösser W, Weiser M, Klein P. Behandlung des Schwindels mit einem modernen Homöopathikum - Ergebnisse einer referenzkontrollierten Kohortenstudie. Biologische Medizin 2001; 30(4): 184-190

312. **Yakir M**, Kreitler S, Brzezinski A, Vithoulkas G, Oberbaum M, Bentwich Z. Effects of homeopathic treatment in women with premenstrual syndrome - A pilot study. Brit Hom J 90(3), 2001: 148-153

313. **Yakir M**, Kreitler S, Oberbaum M, Bzizinsky A, Vithoulkas G, Bentwich Z. Homoeopathic treatment of premenstrual syndrome - A pilot study. In: GIRI (ed.): 8th GIRI Meeting, 10-12 December, 1994, Hadassah Hospital Mount Scopus, Jerusalem, Israel. Jerusalem: No publisher, 1994: 49-50

314. **Zell J**, Connert WD, Mau J, Feuerstake G. Behandlung von akuten Sprunggelenksdistorsionen - Doppelblindstudie zum Wirksamkeitsnachweis eines homöopathischen Salbenpräparats. MMW Fortschr Med 106(5), 1988: 96-100.

315. **Zicari D**, Ricciotti F, Vingolo EM, Zicari N. Evaluation of the angioprotective action of arnica preparations in the treatment of diabetic retinopathy. Boll Oculist 1992; 71:841-848.
